


Accepted Manuscript

Use of fluorescence spectroscopy to control ozone dosage in recirculating aquaculture systems

Aikaterini Spiliotopoulou, Richard Martin, Lars-Flemming Pedersen, Henrik R. Andersen



PII: S0043-1354(16)30980-0

DOI: [10.1016/j.watres.2016.12.036](https://doi.org/10.1016/j.watres.2016.12.036)

Reference: WR 12586

To appear in: *Water Research*


Received Date: 7 October 2016

Revised Date: 20 December 2016

Accepted Date: 21 December 2016

Please cite this article as: Spiliotopoulou, A., Martin, R., Pedersen, L.-F., Andersen, H.R., Use of fluorescence spectroscopy to control ozone dosage in recirculating aquaculture systems, *Water Research* (2017), doi: 10.1016/j.watres.2016.12.036.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Download English Version:

<https://daneshyari.com/en/article/5759352>

Download Persian Version:

<https://daneshyari.com/article/5759352>

[Daneshyari.com](https://daneshyari.com)