

Accepted Manuscript

Can natural selection encode Bayesian priors?

Juan Camilo Ramírez, James A.R. Marshall

PII: S0022-5193(17)30225-4
DOI: [10.1016/j.jtbi.2017.05.017](https://doi.org/10.1016/j.jtbi.2017.05.017)
Reference: YJTBI 9074

To appear in: *Journal of Theoretical Biology*

Received date: 24 September 2016
Revised date: 6 May 2017
Accepted date: 11 May 2017



Please cite this article as: Juan Camilo Ramírez, James A.R. Marshall, Can natural selection encode Bayesian priors?, *Journal of Theoretical Biology* (2017), doi: [10.1016/j.jtbi.2017.05.017](https://doi.org/10.1016/j.jtbi.2017.05.017)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A model is proposed to show how Bayesian priors can be shaped by natural selection.
- Bayesian individuals are shown to evolve their priors in response to uncertainty.
- Bayesians are shown to outperform ‘frequentists’ when faced with uncertainty.

Download English Version:

<https://daneshyari.com/en/article/5759945>

Download Persian Version:

<https://daneshyari.com/article/5759945>

[Daneshyari.com](https://daneshyari.com)