### Accepted Manuscript

Fork-tailed caterpillars bite off their long anal prolegs to pupate in fallen branches

Daichi Funamoto, Shinji Sugiura

PII: S1226-8615(16)30539-8

DOI: doi: 10.1016/j.aspen.2017.02.005

Reference: ASPEN 929

To appear in: Journal of Asia-Pacific Entomology

Received date: 14 November 2016 Revised date: 27 January 2017 Accepted date: 6 February 2017



Please cite this article as: Daichi Funamoto, Shinji Sugiura, Fork-tailed caterpillars bite off their long anal prolegs to pupate in fallen branches. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Aspen(2017), doi: 10.1016/j.aspen.2017.02.005

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

### ACCEPTED MANUSCRIPT

## Fork-tailed caterpillars bite off their long anal prolegs to pupate in fallen branches

#### Daichi Funamoto and Shinji Sugiura

Graduate School of Agricultural Science, Kobe University,

Rokkodai, Nada, Kobe 657-8501, Japan

Corresponding author.

E-mail address: dai.funamoto@gmail.com (D. Funamoto)

Short title: Leg-cutting behaviour in caterpillars

#### Download English Version:

# https://daneshyari.com/en/article/5763557

Download Persian Version:

https://daneshyari.com/article/5763557

<u>Daneshyari.com</u>