


## Accepted Manuscript

Laboratory and field evaluation of the repellency of six preservatives to red imported fire ants (Hymenoptera: Formicidae)

Wenquan Qin, Hongpeng Xiong, Yuzhen Wen, Xiujun Wen, Hui Wang, Yihan Fang, Tao Ma, Zhaohui Sun, Xiaoyang Chen, Cai Wang



PII: S1226-8615(17)30062-6

DOI: doi: [10.1016/j.aspen.2017.03.011](https://doi.org/10.1016/j.aspen.2017.03.011)

Reference: ASPEN 952

To appear in: *Journal of Asia-Pacific Entomology*

Received date: 1 February 2017

Accepted date: 14 March 2017

Please cite this article as: Wenquan Qin, Hongpeng Xiong, Yuzhen Wen, Xiujun Wen, Hui Wang, Yihan Fang, Tao Ma, Zhaohui Sun, Xiaoyang Chen, Cai Wang, Laboratory and field evaluation of the repellency of six preservatives to red imported fire ants (Hymenoptera: Formicidae). The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Aspen*(2016), doi: [10.1016/j.aspen.2017.03.011](https://doi.org/10.1016/j.aspen.2017.03.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Short title: Repellency of Preservatives to *Solenopsis invicta*.

Correspondence: Cai Wang, Guangdong Key Laboratory for Innovation Development and Utilization of Forest Plant Germplasm, College of Forestry and Landscape Architecture, South China Agricultural University, Guangzhou, 510642, China; Tel: +86-20-85280256, Email: wangcai@scau.edu.cn

**Laboratory and Field Evaluation of the Repellency of Six Preservatives to Red Imported Fire Ants (Hymenoptera: Formicidae)**

Wenquan Qin<sup>1</sup>, Hongpeng Xiong<sup>1</sup>, Yuzhen Wen<sup>1</sup>, Xiujun Wen<sup>1,2</sup>, Hui Wang<sup>1</sup>, Yihan Fang<sup>1</sup>, Tao Ma<sup>1</sup>, Zhaohui Sun<sup>1</sup>, Xiaoyang Chen<sup>1</sup>, and Cai Wang<sup>1,3</sup>

<sup>1</sup> Guangdong Key Laboratory for Innovation Development and Utilization of Forest Plant Germplasm, College of Forestry and Landscape Architecture, South China Agricultural University, Guangzhou, 510642, China

<sup>2</sup> State Key Laboratory of Genetic Resources and Evolution, Kunming Institute of Zoology, Chinese Academy of Sciences, Kunming, 650223, China

<sup>3</sup> Corresponding author: Cai Wang (wangcai@scau.edu.cn)

Download English Version:

<https://daneshyari.com/en/article/5763561>

Download Persian Version:

<https://daneshyari.com/article/5763561>

[Daneshyari.com](https://daneshyari.com)