


Accepted Manuscript

Catchment tomography - An approach for spatial parameter estimation

D. Baatz , W. Kurtz , H.-J. Hendricks Franssen , H. Vereecken , S.J. Kollet

PII: S0309-1708(16)30201-9
DOI: [10.1016/j.advwatres.2017.06.006](https://doi.org/10.1016/j.advwatres.2017.06.006)
Reference: ADWR 2866



To appear in: *Advances in Water Resources*

Received date: 1 July 2016
Revised date: 30 May 2017
Accepted date: 11 June 2017

Please cite this article as: D. Baatz , W. Kurtz , H.-J. Hendricks Franssen , H. Vereecken , S.J. Kollet , Catchment tomography - An approach for spatial parameter estimation, *Advances in Water Resources* (2017), doi: [10.1016/j.advwatres.2017.06.006](https://doi.org/10.1016/j.advwatres.2017.06.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- A tomographic approach for estimating a distributed Manning's roughness coefficient is proposed
- Spatially distributed precipitation data, serving as transmitter, are essential.
- A joint state-parameter update with the EnKF is applied assimilating stream water level observations
- The distributed Manning's coefficient is accurately estimated in a 2D synthetic experiment

Download English Version:

<https://daneshyari.com/en/article/5763736>

Download Persian Version:

<https://daneshyari.com/article/5763736>

[Daneshyari.com](https://daneshyari.com)