Accepted Manuscript

Cholera spatial-temporal patterns in Gonaives, Haiti: from contributing factors to targeted recommendations

Stanislas Rebaudet, Karolina Griffiths, Mazard Trazillio, Anne-Gaelle Lebeau, Aaron A Abedi, Gregory Bulit, Renaud Piarroux, Jean Gaudart


PII: \$0309-1708(16)30784-9

DOI: 10.1016/j.advwatres.2016.12.012

Reference: ADWR 2756

To appear in: Advances in Water Resources

Received date: 13 May 2016
Revised date: 11 December 2016
Accepted date: 14 December 2016



Please cite this article as: Stanislas Rebaudet, Karolina Griffiths, Mazard Trazillio, Anne-Gaelle Lebeau, Aaron A Abedi, Gregory Bulit, Renaud Piarroux, Jean Gaudart, Cholera spatial-temporal patterns in Gonaives, Haiti: from contributing factors to targeted recommendations, *Advances in Water Resources* (2016), doi: 10.1016/j.advwatres.2016.12.012

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highlights

- Patterns of cholera socio-environmental risk factors were identified in Gonaives City, Haiti.
- Coastal flood plains are high-risk associated with easy access to a contaminated brackish water table.
- Hillside areas are high-risk associated with poverty, poor water availability and open defecation.
- Development of water supply networks and safe sanitation practices must be neighbourhood-specific.

Download English Version:

https://daneshyari.com/en/article/5763865

Download Persian Version:

https://daneshyari.com/article/5763865

<u>Daneshyari.com</u>