

Accepted Manuscript

Title: Nursery of young *Litopenaeus vannamei* post-larvae reared in biofloc- and microalgae-based systems

Authors: Rodrigo Schweitzer, Marco Antonio de Lorenzo, Felipe do Nascimento Vieira, Scheila Anelise Pereira, José Luiz Pedreira Mouriño, Walter Quadros Seiffert, Edemar Roberto Andreatta



PII: S0144-8609(16)30194-7
DOI: <http://dx.doi.org/doi:10.1016/j.aquaeng.2017.07.001>
Reference: AQUE 1907

To appear in: *Aquacultural Engineering*

Received date: 4-11-2016
Revised date: 30-6-2017
Accepted date: 2-7-2017

Please cite this article as: Schweitzer, Rodrigo, de Lorenzo, Marco Antonio, do Nascimento Vieira, Felipe, Pereira, Scheila Anelise, Mouriño, José Luiz Pedreira, Seiffert, Walter Quadros, Andreatta, Edemar Roberto, Nursery of young *Litopenaeus vannamei* post-larvae reared in biofloc- and microalgae-based systems. *Aquacultural Engineering* <http://dx.doi.org/10.1016/j.aquaeng.2017.07.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Nursery of young *Litopenaeus vannamei* post-larvae reared in biofloc- and microalgae-based systems

Rodrigo Schweitzer ^{a, *}, Marco Antonio de Lorenzo ^b, Felipe do Nascimento Vieira ^b, Scheila Anelise Pereira ^b, José Luiz Pedreira Mouriño ^b, Walter Quadros Seiffert ^b, Edemar Roberto Andreatta ^b

^a Federal University of São Paulo, Department of Marine Sciences, Santos, SP, Brazil

^b Federal University of Santa Catarina, Department of Aquaculture, Marine Shrimp Laboratory, Florianópolis, SC, Brazil

* Corresponding author: Universidade Federal de São Paulo (UNIFESP), Departamento de Ciências do Mar, Edifício Acadêmico II, Rua Dr. Carvalho de Mendonça, 144, Encruzilhada, Santos, SP, CEP 11070-100, Brazil. E-mail address: rschweitzer@hotmail.com (R. Schweitzer)

Highlights

- We compared the performance of shrimp PLs (PL₆ to PL₁₈) in two nursery systems.
- BFT can be as effective as the microalgae-based system for the nursery of PLs.
- Water usage was lower in the biofloc tanks than in the microalgae-based system.
- PL performance was similar in tanks with TSS values of 500 or 700 mg L⁻¹.

Download English Version:

<https://daneshyari.com/en/article/5763903>

Download Persian Version:

<https://daneshyari.com/article/5763903>

[Daneshyari.com](https://daneshyari.com)