Accepted Manuscript

Title: Tissue uptake, distribution and excretion of brevetoxin-3 after oral and intratracheal exposure in the freshwater turtle

Author: Courtney C. Cocilova Leanne J. Flewelling Gregory D. Bossart April A. Granholm Sarah L. Milton



Please cite this article as: Cocilova, C.C., Flewelling, L.J., Bossart, G.D., Granholm, A.A., Milton, S.L., Tissue uptake, distribution and excretion of brevetoxin-3 after oral and intratracheal exposure in the freshwater turtle, *Aquatic Toxicology* (2017), http://dx.doi.org/10.1016/j.aquatox.2017.03.003

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Tissue uptake, distribution and excretion of brevetoxin-3 after oral and intratracheal exposure in the freshwater turtle *Trachemys scripta* and the diamondback terrapin *Malaclemys terrapin*.

Courtney C. Cocilova^{a*}, Leanne J. Flewelling^b, Gregory D. Bossart^c, April A. Granholm^b, and Sarah L. Milton^a

^aFlorida Atlantic University, Department of Biological Sciences, 777 Glades Road, Boca Raton, FL, 33431, USA

^bFlorida Fish and Wildlife Conservation Commission, Fish and Wildlife Research Institute, 100 8th Avenue S.E., St. Petersburg, FL, 33701, USA

^cAnimal Health, Research and Conservation, Georgia Aquarium, 225 Baker St. NW, Atlanta, GA, 30313, USA

*Corresponding author: Florida Atlantic University, 777 Glades Road, Boca Raton, FL, 33431, USA. Tel: 561-297-0148 Email: ccocilov@fau.edu

Keywords: harmful algal bloom; red tide; sea turtle; toxin

Highlights

- Brevetoxin exposure causes muscular and neurological deficits in sea turtles.
- Freshwater turtles were used to model brevetoxin exposure.
- Turtles appear to be highly resistant to brevetoxin-3.
- All organs systems were affected, but the toxin is rapidly cleared from tissues.
- Understanding toxin effects in turtles will allow for improved treatment plans.

Download English Version:

https://daneshyari.com/en/article/5764292

Download Persian Version:

https://daneshyari.com/article/5764292

Daneshyari.com