


Author's Accepted Manuscript

Factors that affect the nearshore aggregations of Antarctic krill in a biological hotspot

Kim S. Bernard, Megan Cimino, William Fraser, Josh Kohut, Matthew J. Oliver, Donna Patterson-Fraser, Oscar M.E. Schofield, Hank Statscewich, Deborah K. Steinberg, Peter Winsor



PII: S0967-0637(16)30354-5
DOI: <http://dx.doi.org/10.1016/j.dsr.2017.05.008>
Reference: DSRI2798

To appear in: *Deep-Sea Research Part I*

Received date: 20 October 2016
Revised date: 11 May 2017
Accepted date: 20 May 2017

Cite this article as: Kim S. Bernard, Megan Cimino, William Fraser, Josh Kohut, Matthew J. Oliver, Donna Patterson-Fraser, Oscar M.E. Schofield, Hank Statscewich, Deborah K. Steinberg and Peter Winsor, Factors that affect the nearshore aggregations of Antarctic krill in a biological hotspot, *Deep-Sea Research Part I*, <http://dx.doi.org/10.1016/j.dsr.2017.05.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

**Factors that affect the nearshore aggregations of Antarctic krill in a
biological hotspot**

Kim S. Bernard^{1,7*}, Megan Cimino^{2,7}, William Fraser^{3,7}, Josh Kohut^{4,7}, Matthew J.
Oliver^{5,7}, Donna Patterson-Fraser^{3,7}, Oscar M.E. Schofield^{4,7}, Hank Statscewich^{5,7},
Deborah K. Steinberg^{6,7}, Peter Winsor^{5,7}

¹College of Earth, Ocean, and Atmospheric Sciences, Oregon State University, Corvallis,
OR, USA

²Scripps Institution of Oceanography

³Polar Oceans Research Group

⁴Rutgers University

⁵University of Delaware

⁶University of Alaska, Fairbanks

⁷Virginia Institute of Marine Science, College of William & Mary

*Corresponding author email kbernard@coas.oregonstate.edu

Abstract

Antarctic krill, *Euphausia superba*, is a highly abundant and ecologically important zooplankton species in the Southern Ocean. Regions of elevated Antarctic krill biomass exist around Antarctica, often as a result of the concentrating effect of bathymetry and

Download English Version:

<https://daneshyari.com/en/article/5764656>

Download Persian Version:

<https://daneshyari.com/article/5764656>

[Daneshyari.com](https://daneshyari.com)