Accepted Manuscript



The value of enduring environmental surrogates as predictors of estuarine benthic macroinvertebrate assemblages

Michelle D. Wildsmith, Fiona J. Valesini, Samuel F. Robinson

PII: S0272-7714(17)30181-6

DOI: 10.1016/j.ecss.2017.08.006

Reference: YECSS 5561

To appear in: *Estuarine, Coastal and Shelf Science*

Received Date: 14 February 2017

Revised Date: 1 July 2017

Accepted Date: 6 August 2017

Please cite this article as: Wildsmith, M.D., Valesini, F.J., Robinson, S.F., The value of enduring environmental surrogates as predictors of estuarine benthic macroinvertebrate assemblages, *Estuarine, Coastal and Shelf Science* (2017), doi: 10.1016/j.ecss.2017.08.006.


(a) Enduring environmental data
J
G
F
C
I
A
M
2D stress: 0.01
Benthic Macroinvertebrate Composition
(b) Summer; P=1.1%, ρ=0.545
F
I
G
A
C
J
M
2D stress: 0.05
(c) Autumn; P=3.4%, ρ=0.504
F
C
M
GJ
A
I
2D stress: 0.03
(d) Winter; P=0.4%, ρ=0.664
GF
C
J
IM
A
2D stress: 0.01
(e) Spring; P=0.2%, ρ=0.745
C
J
M
F
G
A
I
2D stress: 0.00