

Mechanism for detecting NAPL using electrical resistivity imaging

Todd Halihan, Valina Sefa, Tom Sale, Mark Lyverse

PII: S0169-7722(16)30215-7
DOI: doi: 10.1016/j.jconhyd.2017.08.007
Reference: CONHYD 3326

To appear in: *Journal of Contaminant Hydrology*

Received date: 20 September 2016
Revised date: 11 August 2017
Accepted date: 13 August 2017

Please cite this article as: Todd Halihan, Valina Sefa, Tom Sale, Mark Lyverse , Mechanism for detecting NAPL using electrical resistivity imaging. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Conhyd(2017), doi: 10.1016/j.jconhyd.2017.08.007

MECHANISM FOR DETECTING NAPL USING ELECTRICAL RESISTIVITY IMAGING

Todd Halihan[1], Valina Sefa[2], Tom Sale[3], Mark Lyverse[4]

[1]School of Geology, Oklahoma State University, 105 Noble Research Center, Stillwater, OK, USA. E-mail: halihan@okstate.edu; Fax: +01 405 744 7841; Tel: +01 405 744 6358

[2]School of Geology, Oklahoma State University, 105 Noble Research Center, Stillwater, OK, USA. E-mail: valina@okstate.edu; Tel: +01 405 788 1381

[3]Department of Civil and Environmental Engineering, Colorado State University, Campus Delivery 1372, Fort Collins, CO, USA. E-mail: tsale@engr.colostate.edu; Tel: +01 970 491 8413

[4]Chevron Energy Technology Company, 6001 Bollinger Canyon Road, Bldg C1206, San Ramon, CA, USA. E-mail: mlyv@chevron.com; Tel: +01 925 842 5512