


Accepted Manuscript

Bacteriocin producing *Enterococcus faecalis* isolated from chicken gastrointestinal tract originating from Phitsanulok, Thailand: Isolation, screening, safety evaluation and probiotic properties



Noraphat Hwanhlem, Teodora Ivanova, Vanessa Biscola, Yvan Choiset, Thomas Haertlé

PII: S0956-7135(17)30112-3
DOI: 10.1016/j.foodcont.2017.02.060
Reference: JFCO 5495
To appear in: *Food Control*
Received Date: 22 July 2016
Revised Date: 22 February 2017
Accepted Date: 25 February 2017

Please cite this article as: Noraphat Hwanhlem, Teodora Ivanova, Vanessa Biscola, Yvan Choiset, Thomas Haertlé, Bacteriocin producing *Enterococcus faecalis* isolated from chicken gastrointestinal tract originating from Phitsanulok, Thailand: Isolation, screening, safety evaluation and probiotic properties, *Food Control* (2017), doi: 10.1016/j.foodcont.2017.02.060

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Bacteriocin producing *Enterococcus faecalis* was isolated from chicken GIT.
- Bacteriocin producing *Ent. faecalis* harbor virulence genes.
- *Ent. faecalis* showed activities against food-spoilage and food-borne pathogens.
- *Ent. faecalis* present a potential for their application as biocontrol agents.

Download English Version:

<https://daneshyari.com/en/article/5767505>

Download Persian Version:

<https://daneshyari.com/article/5767505>

[Daneshyari.com](https://daneshyari.com)