

Accepted Manuscript

Functional characterizations of β -glucosidases involved in aroma compound formation in tea (*Camellia sinensis*)

Ying Zhou, Lanting Zeng, Jiadong Gui, Yinyin Liao, Jianlong Li, Jingchi Tang, Qing Meng, Fang Dong, Ziyin Yang



PII: S0963-9969(17)30147-3
DOI: doi: [10.1016/j.foodres.2017.03.049](https://doi.org/10.1016/j.foodres.2017.03.049)
Reference: FRIN 6656

To appear in: *Food Research International*

Received date: 4 January 2017
Revised date: 1 March 2017
Accepted date: 30 March 2017

Please cite this article as: Ying Zhou, Lanting Zeng, Jiadong Gui, Yinyin Liao, Jianlong Li, Jingchi Tang, Qing Meng, Fang Dong, Ziyin Yang , Functional characterizations of β -glucosidases involved in aroma compound formation in tea (*Camellia sinensis*). The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Food Research International* (2017), doi: [10.1016/j.foodres.2017.03.049](https://doi.org/10.1016/j.foodres.2017.03.049)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Running title: β -Glucosidases in tea

Title: Functional characterizations of β -glucosidases involved in aroma compound formation in tea
(*Camellia sinensis*)

Authors: Ying Zhou ^{a, †}, Lanting Zeng ^{a, b, †}, Jiadong Gui ^{a, b, †}, Yinyin Liao ^a, Jianlong Li ^c, Jingchi Tang ^c, Qing Meng ^d, Fang Dong ^e, Ziyin Yang ^{a, b, *}

Affiliation:

^a Guangdong Provincial Key Laboratory of Applied Botany & Key Laboratory of South China
Agricultural Plant Molecular Analysis and Genetic Improvement, South China Botanical Garden,
Chinese Academy of Sciences, Xingke Road 723, Tianhe District, Guangzhou 510650, China

^b University of Chinese Academy of Sciences, No.19A Yuquan Road, Beijing 100049, China

^c Tea Research Institute, Guangdong Academy of Agricultural Sciences & Guangdong Provincial Key
Laboratory of Tea Plant Resources Innovation and Utilization, Dafeng Road 6, Tianhe District,
Guangzhou 510640, China

^d College of Food Science, Southwest University, No. 2 Tiansheng Road, Beibei District, Chongqing
400715, China

^e Guangdong Food and Drug Vocational College, Longdongbei Road 321, Tianhe District, Guangzhou
510520, China

*** Corresponding author:**

Ziyin Yang, South China Botanical Garden, Chinese Academy of Sciences, Xingke Road 723, Tianhe
District, Guangzhou 510650, China; Tel: +86-20-38072989; Email address: zyyang@scbg.ac.cn.

[†] These authors equally contributed to this work.

Download English Version:

<https://daneshyari.com/en/article/5768269>

Download Persian Version:

<https://daneshyari.com/article/5768269>

[Daneshyari.com](https://daneshyari.com)