Accepted Manuscript

Title: Corrosion rate estimations of microscale zerovalent iron particles via direct hydrogen production measurements

Author: Milica Velimirovic Luca Carniato Queenie Simons Gerrit Schoups Piet Seuntjens Leen Bastiaens

PII: \$0304-3894(14)00057-0

DOI: http://dx.doi.org/doi:10.1016/j.jhazmat.2014.01.034

Reference: HAZMAT 15697

To appear in: Journal of Hazardous Materials

Received date: 18-7-2013 Revised date: 19-12-2013 Accepted date: 20-1-2014

Please cite this article as: M. Velimirovic, L. Carniato, Q. Simons, G. Schoups, P. Seuntjens, L. Bastiaens, Corrosion rate estimations of microscale zerovalent iron particles via direct hydrogen production measurements, *Journal of Hazardous Materials* (2014), http://dx.doi.org/10.1016/j.jhazmat.2014.01.034

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Highlights

- The hydrogen gas generated by anaerobic corrosion of different ZVIs was measured.
- In aquifer-free conditions mZVIs have ~10-30 times lower corrosion rate than nZVIs.
- Under natural environment higher corrosion rate of ZVIs was observed.
- Estimated corrosion rates can serve as an indication of ZVIs life-time.
- Inhibitory effects of the ZVI corrosion reaction products were interpreted.

Download English Version:

https://daneshyari.com/en/article/576875

Download Persian Version:

https://daneshyari.com/article/576875

<u>Daneshyari.com</u>