

Accepted Manuscript

Research papers

Spatio-temporal variability of groundwater storage in India

Soumendra N. Bhanja, Matthew Rodell, Bailing Li, Dipankar Saha, Abhijit Mukherjee

PII: S0022-1694(16)30767-3

DOI: <http://dx.doi.org/10.1016/j.jhydrol.2016.11.052>

Reference: HYDROL 21666

To appear in: *Journal of Hydrology*

Received Date: 13 June 2016

Revised Date: 2 November 2016

Accepted Date: 23 November 2016



Please cite this article as: Bhanja, S.N., Rodell, M., Li, B., Saha, D., Mukherjee, A., Spatio-temporal variability of groundwater storage in India, *Journal of Hydrology* (2016), doi: <http://dx.doi.org/10.1016/j.jhydrol.2016.11.052>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Spatio-temporal variability of groundwater storage in India

Soumendra N. Bhanja^{1,2}, Matthew Rodell¹, Bailing Li¹, Dipankar Saha³, Abhijit Mukherjee^{2,4}

¹Hydrological Sciences Laboratory, NASA Goddard Space Flight Center, Greenbelt, MD 20771, USA


²Department of Geology and Geophysics, Indian Institute of Technology Kharagpur, West Bengal 721302, India

³Central Ground Water Board, Ministry of Water Resources, River Development and Ganga Rejuvenation, Government of India, Faridabad, Haryana, India

⁴School of Environmental Science and Engineering, Indian Institute of Technology Kharagpur, West Bengal 721302, India

*Corresponding author: Soumendra N. Bhanja (soumendrabhanja@gmail.com) and Abhijit Mukherjee (amukh2@gmail.com; abhijit@gg.iitkgp.ernet.in)

Graphical abstract



Abstract

Groundwater level measurements from 3907 monitoring wells, distributed within 22 major river basins of India, are assessed to characterize their spatial and temporal variability. Groundwater storage (GWS) anomalies (relative to the long-term mean) exhibit strong seasonality, with

Download English Version:

<https://daneshyari.com/en/article/5771356>

Download Persian Version:

<https://daneshyari.com/article/5771356>

[Daneshyari.com](https://daneshyari.com)