

## Accepted Manuscript

A numerical model for simulating the effect of propeller flow in ice management

Andrei Tsarau, Raed Lubbad, Sveinung Løset

PII: S0165-232X(16)30110-0  
DOI: doi: [10.1016/j.coldregions.2016.06.002](https://doi.org/10.1016/j.coldregions.2016.06.002)  
Reference: COLTEC 2280

To appear in: *Cold Regions Science and Technology*

Received date: 15 July 2015  
Revised date: 18 May 2016  
Accepted date: 6 June 2016



Please cite this article as: Tsarau, Andrei, Lubbad, Raed, Løset, Sveinung, A numerical model for simulating the effect of propeller flow in ice management, *Cold Regions Science and Technology* (2016), doi: [10.1016/j.coldregions.2016.06.002](https://doi.org/10.1016/j.coldregions.2016.06.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# **A numerical model for simulating the effect of propeller flow in ice management**

**Andrei Tsarau\*<sup>1)</sup>, Raed Lubbad and Sveinung Løset<sup>1)</sup>**

<sup>1)</sup> *Sustainable Arctic Marine and Coastal Technology (SAMCoT), Centre for Research-based Innovation (CRI), Norwegian University of Science and Technology, Trondheim, Norway.*

*\*andrei.tsarau@ntnu.no*

## **Abstract**

This newly developed unique numerical model enables physically based high-fidelity simulations of ice management with the propeller flow of a ship. This model predicts the propeller-flow velocities, calculates the hydrodynamic forces on the ice and integrates the equations of motion of the ice cover, which is represented by an ensemble of rigid bodies that may interact with each other. Data from full-scale tests were used to calibrate the model to simulate the propeller-wash effect on ice floes and ice rubble. Another set of experimental data was utilised to validate the model against the measurements from full-scale trials in which an escort ship equipped with azimuth thrusters was employed to widen an old channel filled with ice rubble. The comparison showed good agreement between the measurements and the numerical results.

## **1 Introduction**

Azimuth thrusters allow the application of full thrust in any horizontal direction (from 0° to 360°), providing the vessel with a range of outstanding operational capabilities. For ice-going ships, the steerable thrusters make it possible to break ice with the propeller jet and to wash

Download English Version:

<https://daneshyari.com/en/article/5779346>

Download Persian Version:

<https://daneshyari.com/article/5779346>

[Daneshyari.com](https://daneshyari.com)