

Accepted Manuscript

Combining k-nearest-neighbor models for annual peak breakup flow forecasting

Wei Sun, Bernard Trevor



PII: S0165-232X(17)30103-9
DOI: doi: [10.1016/j.coldregions.2017.08.009](https://doi.org/10.1016/j.coldregions.2017.08.009)
Reference: COLTEC 2436
To appear in: *Cold Regions Science and Technology*
Received date: 3 March 2017
Revised date: 16 June 2017
Accepted date: 21 August 2017

Please cite this article as: Wei Sun, Bernard Trevor , Combining k-nearest-neighbor models for annual peak breakup flow forecasting, *Cold Regions Science and Technology* (2017), doi: [10.1016/j.coldregions.2017.08.009](https://doi.org/10.1016/j.coldregions.2017.08.009)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Combining k-Nearest-Neighbor Models for Annual Peak Breakup Flow Forecasting

Wei Sun* and Bernard Trevor

River Forecast Center, River Engineering and Technical Services Section, Watershed
Adaptation and Resilience Branch, Strategy Division, Alberta Environment and Parks,
Edmonton, Alberta, Canada T5K 2J6

* Correspondence Author

Email: sunweihunu@hotmail.com; Wei.Sun@gov.ab.ca;

Phone: 1-780-6445211

Download English Version:

<https://daneshyari.com/en/article/5779380>

Download Persian Version:

<https://daneshyari.com/article/5779380>

[Daneshyari.com](https://daneshyari.com)