Accepted Manuscript

Using the porosity exponent (m) and pore-scale resistivity modelling to understand pore fabric types in coquinas (Barremian-Aptian) of the Morro do Chaves Formation, NE Brazil

Patrick William Michael Corbett, Haitao Wang, Raphael Nóbrega Câmara, Ana Carolina Tavares, Leonardo Fonseca Borghi de Almeida, Fabio Perosi, Alessandra Machado, Zeyun Jiang, Jingsheng Ma, Rodrigo Bagueira

PII: S0264-8172(17)30342-2

DOI: 10.1016/j.marpetgeo.2017.08.032


Reference: JMPG 3049

To appear in: Marine and Petroleum Geology

Received Date: 19 August 2015 Revised Date: 1 August 2017 Accepted Date: 29 August 2017


Please cite this article as: Corbett, P.W.M., Wang, H., Câmara, Raphael.Nó., Tavares, A.C., Borghi de Almeida, L.F., Perosi, F., Machado, A., Jiang, Z., Ma, J., Bagueira, R., Using the porosity exponent (*m*) and pore-scale resistivity modelling to understand pore fabric types in coquinas (Barremian-Aptian) of the Morro do Chaves Formation, NE Brazil, *Marine and Petroleum Geology* (2017), doi: 10.1016/j.marpetgeo.2017.08.032.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

3 Graphical Abstract



Download English Version:

https://daneshyari.com/en/article/5781932

Download Persian Version:

https://daneshyari.com/article/5781932

Daneshyari.com