

Thermodynamic properties in the Fe(II)-Fe(III)-As(V)-HClO4–H2O and Fe(II)-Fe(III)-As(V)-HCl–H2O systems from 5 to 90°C

Xiangyu Zhu, D. Kirk Nordstrom, R. Blaine McCleskey, Rucheng Wang, Xiancai Lu

PII: S0009-2541(17)30204-8
DOI: doi: 10.1016/j.chemgeo.2017.04.010
Reference: CHEMGE 18313

To appear in: *Chemical Geology*

Received date: 8 February 2017
Revised date: 10 April 2017
Accepted date: 11 April 2017

Please cite this article as: Xiangyu Zhu, D. Kirk Nordstrom, R. Blaine McCleskey, Rucheng Wang, Xiancai Lu , Thermodynamic properties in the Fe(II)-Fe(III)-As(V)-HClO4–H2O and Fe(II)-Fe(III)-As(V)-HCl–H2O systems from 5 to 90°C. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Chemge(2017), doi: 10.1016/j.chemgeo.2017.04.010

Thermodynamic properties in the Fe(II)-Fe(III)-As(V)-$HClO_4$–H_2O and Fe(II)-Fe(III)-As(V)-HCl–H_2O systems from 5 to 90 °C

Xiangyu Zhu[a, b1], D. Kirk Nordstrom[b], R. Blaine McCleskey[b], Rucheng Wang[a], Xiancai Lu[a]

a State Key Laboratory for Mineral Deposits Research, School of Earth Sciences and Engineering, Nanjing University, Nanjing 210023, China

b US Geological Survey, 3215 Marine St., Suite E. 127, Boulder, CO 80303, USA

[1] Corresponding author. Address: Department of Earth Science and Engineering, Nanjing University, 163 Xianlin Avenue, Nanjing, Jiangsu 210023, China. Email address: xiangyuzhunju@gmail.com.