


Fluid evolution of the Neoproterozoic Pampalo orogenic gold deposit (E Finland): Constraints from LA-ICPMS fluid inclusion microanalysis

PII: S0009-2541(16)30682-9
 DOI: doi: [10.1016/j.chemgeo.2016.12.022](https://doi.org/10.1016/j.chemgeo.2016.12.022)
 Reference: CHEMGE 18192

Received date: 7 October 2016
Revised date: 8 December 2016
Accepted date: 16 December 2016



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Fluid evolution of the Neoarchean Pampalo
orogenic gold deposit (E Finland):
constraints from LA-ICPMS fluid inclusion microanalysis**

Tobias Fusswinkel^{1*}, Thomas Wagner¹, Grigorios Sakellaris²

¹Department of Geosciences and Geography, Division of Geochemistry and Geology, University of Helsinki, Gustaf Hållströmin katu 2a, FI-00014 University of Helsinki, Finland

²Malmi geoconsulting, Pohjoisranta 14 A 30, FI-00170 Helsinki, Finland

*corresponding author: tobias.fusswinkel@helsinki.fi

Submitted to: Chemical Geology

Date: 7 December 2016

Download English Version:

<https://daneshyari.com/en/article/5783060>

Download Persian Version:

<https://daneshyari.com/article/5783060>

[Daneshyari.com](https://daneshyari.com)