


Accepted Manuscript

Tracking shoreline evolution in central Cyclades (Greece) using beachrocks

Anna Karkani, Niki Evelpidou, Matteo Vacchi, Christophe Morhange, Sumiko Tsukamoto, Manfred Frechen, Hampik Maroukian



PII: S0025-3227(16)30243-2
DOI: doi: [10.1016/j.margeo.2017.04.009](https://doi.org/10.1016/j.margeo.2017.04.009)
Reference: MARGO 5612

To appear in: *Marine Geology*

Received date: 14 October 2016
Revised date: 3 April 2017
Accepted date: 16 April 2017

Please cite this article as: Anna Karkani, Niki Evelpidou, Matteo Vacchi, Christophe Morhange, Sumiko Tsukamoto, Manfred Frechen, Hampik Maroukian , Tracking shoreline evolution in central Cyclades (Greece) using beachrocks. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Margo(2017), doi: [10.1016/j.margeo.2017.04.009](https://doi.org/10.1016/j.margeo.2017.04.009)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Tracking shoreline evolution in central Cyclades (Greece) using
beachrocks

Anna Karkani ^{1*}, Niki Evelpidou ², Matteo Vacchi ³, Christophe Morhange ⁴, Sumiko
Tsukamoto ⁵, Manfred Frechen ⁶, Hampik Maroukian ⁷

¹ Faculty of Geology and Geoenvironment, National and Kapodistrian University of Athens,
Panepistimiopolis, Zografou, 15784 Athens, Greece, email: ekarkani@geol.uoa.gr

² Faculty of Geology and Geoenvironment, National and Kapodistrian University of Athens,
Panepistimiopolis, Zografou, 15784 Athens, Greece, email: evelpidou@geol.uoa.gr

³ Université P. Valéry Montpellier 3, CNRS ASM UMR 5140, Lattes/Montpellier, France,
email: matteo.vacchi@gmail.com

⁴ Aix-Marseille Université, CNRS, CEREGE UM34, 13545 Aix en Provence, France, email:
morhange@cerege.fr

⁵ Leibniz Institute for Applied Geophysics (LIAG), Geochronology and Isotope Hydrology,
Stilleweg 2, 30655 Hannover, Germany, email: Sumiko.Tsukamoto@liag-hannover.de

⁶ Leibniz Institute for Applied Geophysics (LIAG), Geochronology and Isotope Hydrology,
Stilleweg 2, 30655 Hannover, Germany, email: Manfred.Frechen@liag-hannover.de

⁷ Faculty of Geology and Geoenvironment, National and Kapodistrian University of Athens,
Panepistimiopolis, Zografou, 15784 Athens, Greece, email: maroukian@geol.uoa.gr

*Corresponding author, email: ekarkani@geol.uoa.gr

Abstract

Beachrocks represent a significant paleo-environmental proxy because they can
record both the vertical and the horizontal evolution of the shoreline. They have often

Download English Version:

<https://daneshyari.com/en/article/5784489>

Download Persian Version:

<https://daneshyari.com/article/5784489>

[Daneshyari.com](https://daneshyari.com)