

Accepted Manuscript

Late Oligocene and Miocene different seaways to the Red Sea–Gulf of Suez rift and the Gulf of Aqaba–Dead Sea basins

Amit Segev, Yoav Avni, Jacob Shahar, Reli Wald

PII: S0012-8252(17)30022-3
DOI: doi: [10.1016/j.earscirev.2017.05.004](https://doi.org/10.1016/j.earscirev.2017.05.004)
Reference: EARTH 2419
To appear in: *Earth-Science Reviews*
Received date: 17 January 2017
Revised date: 16 April 2017
Accepted date: 9 May 2017

Please cite this article as: Amit Segev, Yoav Avni, Jacob Shahar, Reli Wald , Late Oligocene and Miocene different seaways to the Red Sea–Gulf of Suez rift and the Gulf of Aqaba–Dead Sea basins, *Earth-Science Reviews* (2017), doi: [10.1016/j.earscirev.2017.05.004](https://doi.org/10.1016/j.earscirev.2017.05.004)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



To: Earth-Science Reviews

Late Oligocene and Miocene different seaways to the Red Sea– Gulf of Suez rift and the Gulf of Aqaba–Dead Sea basins

Amit Segev¹, Yoav Avni¹, Jacob Shahar¹, Reli Wald²

¹ *Geological Survey of Israel, 30 Malkhei Israel Street, Jerusalem 95501, Israel*
amit.segev@gsi.gov.il

² *Israel Chemicals Ltd - Central R&D Institute, Geology group, P.O. Box 10140, Haifa Bay,*
Haifa 26111 Israel

Keywords: Oligocene-Miocene lithostratigraphy, Red Sea, Gulf of Suez, Gulf of Aqaba, Levant, continental breakup, Sinai Peninsula, Syria, Dead Sea transform.

Download English Version:

<https://daneshyari.com/en/article/5785083>

Download Persian Version:

<https://daneshyari.com/article/5785083>

[Daneshyari.com](https://daneshyari.com)