

# Accepted Manuscript

A new extinct genus of Glandulariini with two species from Upper Cretaceous Burmese amber (Coleoptera: Staphylinidae: Scydmaeninae)

Paweł Jałoszyński, Shûhei Yamamoto, Yui Takahashi



PII: S0195-6671(16)30278-6

DOI: [10.1016/j.cretres.2016.12.021](https://doi.org/10.1016/j.cretres.2016.12.021)

Reference: YCRES 3511

To appear in: *Cretaceous Research*

Received Date: 14 October 2016

Accepted Date: 31 December 2016

Please cite this article as: Jałoszyński, P., Yamamoto, S., Takahashi, Y., A new extinct genus of Glandulariini with two species from Upper Cretaceous Burmese amber (Coleoptera: Staphylinidae: Scydmaeninae), *Cretaceous Research* (2017), doi: 10.1016/j.cretres.2016.12.021.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 **A new extinct genus of Glandulariini with two species from Upper**  
2 **Cretaceous Burmese amber (Coleoptera: Staphylinidae:**  
3 **Scydmaeninae)**

4

5 Paweł Jałoszyński<sup>a,\*</sup>, Shûhei Yamamoto<sup>b</sup>, Yui Takahashi<sup>c</sup>

6

7 <sup>a</sup>*Museum of Natural History, University of Wrocław, Sienkiewicza 21, 50-335 Wrocław,*  
8 *Poland*9 <sup>b</sup>*Entomological Laboratory, Graduate School of Bioresource and Bioenvironmental Sciences,*  
10 *Kyushu University, 6-10-1 Hakozaki, Fukuoka 812-8581, Japan*11 <sup>c</sup>*Graduate School of Life and Environmental Sciences, University of Tsukuba, 1-1-1*  
12 *Tenoudai, Tsukuba, Ibaraki 305-0001, Japan*

13

14

15 \* Corresponding author.

16 E-mail addresses: scydmaenus@yahoo.com (P. Jałoszyński), s.yamamoto.64@gmail.com (S.  
17 Yamamoto), wqvqzzgp@geol.tsukuba.ac.jp (Y. Takahashi).

18

19 *Abbreviations.* AMNH, American Museum of Natural History, New York, USA.

20

21 **ABSTRACT**

22 The Glandulariini (= Cyrtoscydmini) is today the largest, most species-rich and most

23 diverse tribe of Scydmaeninae comprising over 70% of the extant species of this

24 subfamily. Named genera and species of Glandulariini are known mostly from Miocene

Download English Version:

<https://daneshyari.com/en/article/5788073>

Download Persian Version:

<https://daneshyari.com/article/5788073>

[Daneshyari.com](https://daneshyari.com)