Accepted Manuscript



Dopamine receptor D5 deficiency results in a selective reduction of hippocampal NMDA receptor subunit NR2B expression and impaired memory

Rodrigo Moraga-Amaro, Hugo González, Valentina Ugalde, Juan Pablo Donoso-Ramos, Daisy Quintana-Donoso, Marcelo Lara, Bernardo Morales, Patricio Rojas, Rodrigo Pacheco, Jimmy Stehberg

PII: S0028-3908(15)30214-8

DOI: 10.1016/j.neuropharm.2015.12.018

Reference: NP 6116

To appear in: *Neuropharmacology*

Received Date: 28 August 2015

Revised Date: 30 November 2015

Accepted Date: 17 December 2015

Please cite this article as: Moraga-Amaro, R., González, H., Ugalde, V., Donoso-Ramos, J.P., Quintana-Donoso, D., Lara, M., Morales, B., Rojas, P., Pacheco, R., Stehberg, J., Dopamine receptor D5 deficiency results in a selective reduction of hippocampal NMDA receptor subunit NR2B expression and impaired memory, *Neuropharmacology* (2016), doi: 10.1016/j.neuropharm.2015.12.018.



D5RKO: Dopamine Receptor D5 deficient

NMDAR: N-methyl-D-aspartate receptor