

The impact of RGS and other G-protein regulatory proteins on $G\alpha_i$-mediated signaling in immunity

John H. Kehrl

PII: S0006-2952(16)30027-2
DOI: http://dx.doi.org/10.1016/j.bcp.2016.04.005
Reference: BCP 12531

To appear in: *Biochemical Pharmacology*

Received Date: 10 February 2016
Accepted Date: 8 April 2016

Please cite this article as: J.H. Kehrl, The impact of RGS and other G-protein regulatory proteins on $G\alpha_i$-mediated signaling in immunity, *Biochemical Pharmacology* (2016), doi: http://dx.doi.org/10.1016/j.bcp.2016.04.005

The impact of RGS and other G-protein regulatory proteins on $G\alpha_i$-mediated signaling in immunity

John H. Kehrl[1,2]

[1]Laboratory of Immunoregulation, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, MD 2089.

[2]Corresponding author. Mailing address: Laboratory of Immunoregulation, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bldg 10, Room 11B08, 10 Center Dr. MSC 1876, Bethesda, MD 20892; Phone: 301-402-4852. Fax: 301-402-0070. E-mail: jkehrl@niaid.nih.gov

Running Title: G-proteins, RGS proteins, and GPCRs

Key words: G-protein, RGS proteins, chemokine receptors, sphingosine 1-phosphate, cell trafficking