## Accepted Manuscript

Title: Novel histone deacetylase inhibitors derived from Magnolia officinalis significantly enhance TRAIL-induced apoptosis in non-small cell lung cancer

Author: Yuting Liu Yunli Tong Xia Yang Fangyuan Li Liang Zheng Wenqin Liu Jinjun Wu Rilan Ou Guiyu Zhang Ming Hu Zhongqiu Liu Linlin Lu

PII: S1043-6618(16)30050-0

DOI: http://dx.doi.org/doi:10.1016/j.phrs.2016.05.028

Reference: YPHRS 3188

To appear in: Pharmacological Research

Received date: 18-1-2016 Revised date: 24-5-2016 Accepted date: 25-5-2016

Please cite this article as: Liu Yuting, Tong Yunli, Yang Xia, Li Fangyuan, Zheng Liang, Liu Wenqin, Wu Jinjun, Ou Rilan, Zhang Guiyu, Hu Ming, Liu Zhongqiu, Lu Linlin.Novel histone deacetylase inhibitors derived from Magnolia officinalis significantly enhance TRAIL-induced apoptosis in non-small cell lung cancer. *Pharmacological Research* http://dx.doi.org/10.1016/j.phrs.2016.05.028

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Novel histone deacetylase inhibitors derived from Magnolia

officinalis significantly enhance TRAIL-induced apoptosis in

non-small cell lung cancer

Yuting Liu<sup>1,2#</sup>, Yunli Tong<sup>1,2#</sup>, Xia Yang<sup>2</sup>, Fangyuan Li<sup>2</sup>, Liang Zheng<sup>1,2</sup>, Wenqin Liu<sup>1,2</sup>, Jinjun Wu<sup>2</sup>,

Rilan Ou<sup>2</sup>, Guiyu Zhang<sup>2</sup>, Ming Hu<sup>2,3</sup>, Zhongqiu Liu<sup>1,2\*</sup>, Linlin Lu<sup>2\*</sup>

<sup>1</sup> School of Pharmaceutical Sciences, Southern Medical University, Guangzhou, Guangdong,

510515, China.

<sup>2</sup> International Institute for Translational Chinese Medicine, Guangzhou University of Chinese

Medicine, Guangzhou, Guangdong, 510006, China.

<sup>3</sup> Department of Pharmacological and Pharmaceutical Sciences, College of Pharmacy, University

of Houston, 1441 Moursund Street, Houston, Texas, 77030, USA.

\*Contributed equally to this paper.

\*Corresponding authors:

Zhongqiu Liu, School of Pharmaceutical Sciences, Southern Medical University, Guangzhou,

Guangdong, 510515, China.

E-mail: <u>liuzq@gzucm.edu.cn</u> or <u>liuzqsmu@gmail.com</u>

Phone: +8620-39358061

Fax: +8620-39358071

Linlin Lu, International Institute for Translational Chinese Medicine, Guangzhou University of

Chinese Medicine, Guangzhou, Guangdong, 510006, China.

E-mail: lllu@gzucm.edu.cn

Phone: + 8620-39357902

Fax: +8620-39358071

1

## Download English Version:

## https://daneshyari.com/en/article/5843498

Download Persian Version:

https://daneshyari.com/article/5843498

<u>Daneshyari.com</u>