Title: Targeting the transsulfuration-H_2S pathway by FXR and GPBAR1 ligands in the treatment of portal hypertension

Author: Stefano Fiorucci MD Eleonora Distrutti MD

PII: S1043-6618(16)30627-2
DOI: http://dx.doi.org/doi:10.1016/j.phrs.2016.07.040
Reference: YPHRS 3268

To appear in: *Pharmacological Research*

Received date: 30-6-2016
Revised date: 25-7-2016
Accepted date: 26-7-2016

Please cite this article as: Fiorucci Stefano, Distrutti Eleonora.Targeting the transsulfuration-H2S pathway by FXR and GPBAR1 ligands in the treatment of portal hypertension.*Pharmacological Research* http://dx.doi.org/10.1016/j.phrs.2016.07.040

Ref. YPHRS-2016-637R1

Targeting the transsulfuration-H_2S pathway by FXR and GPBAR1 ligands in the treatment of portal hypertension

*Stefano Fiorucci, MD & [1]Eleonora Distrutti,[2] MD

[1]Department of Surgery and Biomedical Sciences,
Nuova Facoltà di Medicina, P.zza L. Severi 1, 06132
Perugia, Italy; email: stefano.fiorucci@unipg.it
[2]S.C. di Gastroenterologia ed Epatologia,
Azienda Ospedaliera di Perugia, 06132, Perugia, Italy;
email: eleonoradistrutti@katamail.com

*Corresponding Author:
Prof. Stefano Fiorucci
Department of Surgical and Biomedical Sciences,
Nuova Facoltà di Medicina, P.zza L. Severi 1, 06132 Perugia, Italy
Tel: 0039-075-5858121
email: stefano.fiorucci@unipg.it