

Accepted Manuscript


Involvement of the histamine H₄ receptor in clozapine-induced hematopoietic toxicity: Vulnerability under granulocytic differentiation of HL-60 cells

Aya Goto, Akihiro Mouri, Tomoko Nagai, Akira Yoshimi, Mako Ukigai, Tomomi Tsubai, Hirotake Hida, Norio Ozaki, Yukihiro Noda

PII: S0041-008X(16)30170-3
DOI: doi: [10.1016/j.taap.2016.06.028](https://doi.org/10.1016/j.taap.2016.06.028)
Reference: YTAAP 13692

To appear in: *Toxicology and Applied Pharmacology*

Received date: 31 March 2016
Revised date: 14 June 2016
Accepted date: 26 June 2016



Please cite this article as: Goto, Aya, Mouri, Akihiro, Nagai, Tomoko, Yoshimi, Akira, Ukigai, Mako, Tsubai, Tomomi, Hida, Hirotake, Ozaki, Norio, Noda, Yukihiro, Involvement of the histamine H₄ receptor in clozapine-induced hematopoietic toxicity: Vulnerability under granulocytic differentiation of HL-60 cells, *Toxicology and Applied Pharmacology* (2016), doi: [10.1016/j.taap.2016.06.028](https://doi.org/10.1016/j.taap.2016.06.028)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title:

Involvement of the histamine H₄ receptor in clozapine-induced hematopoietic toxicity: vulnerability under granulocytic differentiation of HL-60 cells

Author:

Aya Goto¹, Akihiro Mouri¹, Tomoko Nagai¹, Akira Yoshimi¹, Mako Ukigai¹, Tomomi Tsubai¹, Hirotake Hida¹, Norio Ozaki², Yukihiro Noda¹*

Institutional affiliations:

¹ Division of Clinical Sciences and Neuropsychopharmacology, Faculty and Graduate School of Pharmacy, Meijo University, Japan

150 Yagotoyama, Tempaku-ku, Nagoya 468-8503, Japan

² Department of Psychiatry, Graduate School of Medicine, Nagoya University, Japan

65 Tsurumai-cho, Showa-ku, Nagoya 466-8550, Japan

***Corresponding author:**

Yukihiro Noda

Division of Clinical Sciences and Neuropsychopharmacology, Faculty and Graduate School of Pharmacy, Meijo University, Japan

150, Yagotoyama, Tempaku-ku, Nagoya 468-8503, Japan

Telephone: +81-52-741-6021, Fax: +81-52-741-6023

E-mail address: ynoda@meijo-u.ac.jp

Download English Version:

<https://daneshyari.com/en/article/5845868>

Download Persian Version:

<https://daneshyari.com/article/5845868>

[Daneshyari.com](https://daneshyari.com)