

Accepted Manuscript

Garlic-derived natural polysulfanes as hydrogen sulfide donors: Friend or foe?

Esma Yagdi, Claudia Cerella, Mario Dicato, Marc Diederich

PII: S0278-6915(16)30236-8

DOI: [10.1016/j.fct.2016.07.016](https://doi.org/10.1016/j.fct.2016.07.016)

Reference: FCT 8651

To appear in: *Food and Chemical Toxicology*


Received Date: 14 May 2016

Revised Date: 13 July 2016

Accepted Date: 14 July 2016

Please cite this article as: Yagdi, E., Cerella, C., Dicato, M., Diederich, M., Garlic-derived natural polysulfanes as hydrogen sulfide donors: Friend or foe?, *Food and Chemical Toxicology* (2016), doi: 10.1016/j.fct.2016.07.016.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Garlic-derived natural polysulfanes as hydrogen sulfide donors: friend or foe?

Esma Yagdi^a, Claudia Cerella^a, Mario Dicato^a and Marc Diederich^b.

^aLaboratoire de Biologie Moléculaire et Cellulaire du Cancer, Hôpital Kirchberg,
9, rue Edward Steichen, 2540 Luxembourg, Luxembourg;

^bCollege of Pharmacy, Seoul National University, 1 Gwanak-ro, Gwanak-gu,
Seoul 08826, Korea

Running title: Garlic-derived polysulfane hydrogen sulfide donors

Corresponding author:

Marc Diederich. Tel: +82-2-880- 8919; E-mail address: marcdiederich@snu.ac.kr;
Department of Pharmacy, College of Pharmacy, Seoul National University, Building 29,
Room 233, 1 Gwanak-ro, Gwanak-gu, Seoul 08826, Korea.

Download English Version:

<https://daneshyari.com/en/article/5849286>

Download Persian Version:

<https://daneshyari.com/article/5849286>

[Daneshyari.com](https://daneshyari.com)