Accepted Manuscript



Aerosol from a candidate modified risk tobacco product has reduced effects on chemotaxis and transendothelial migration compared to combustion of conventional cigarettes

Marco van der Toorn, Stefan Frentzel, Hector De Leon, Didier Goedertier, Manuel C. Peitsch, Julia Hoeng

PII: S0278-6915(15)30067-3

DOI: 10.1016/j.fct.2015.09.016

Reference: FCT 8403

To appear in: *Food and Chemical Toxicology*

Received Date: 30 June 2015

Revised Date: 9 September 2015

Accepted Date: 24 September 2015

Please cite this article as: van der Toorn, M., Frentzel, S., De Leon, H., Goedertier, D., Peitsch, M.C., Hoeng, J., Aerosol from a candidate modified risk tobacco product has reduced effects on chemotaxis and transendothelial migration compared to combustion of conventional cigarettes, *Food and Chemical Toxicology* (2015), doi: 10.1016/j.fct.2015.09.016.

Aerosol from a candidate modified risk tobacco product has reduced effects on chemotaxis and transendothelial migration compared to combustion of conventional cigarettes

Marco van der Toorn[1]*, Stefan Frentzel*, Hector De Leon, Didier Goedertier, Manuel C. Peitsch and Julia Hoeng

Philip Morris International R&D, Philip Morris Products S.A., Quai Jeanrenaud 5, 2000 Neuchâtel, Switzerland

M. van der Toorn
Marco.vanderToorn@pmi.com
S. Frentzel
Stefan.Frentzel@pmi.com
H. de Leon
hdeleon68@hotmail.com
D. Goedertier
Didier.Goedertier@pmi.com
M.C. Peitsch
Manuel.Peitsch@pmi.com
J. Hoeng
Julia.Hoeng@pmi.com

[1]Corresponding author:

Marco van der Toorn, PhD
Systems Toxicology
Biological Systems Research
Philip Morris International, R&D
Phone: +41-58-242-2331
Email: Marco.vanderToorn@pmi.com

*Equal contributors