


Accepted Manuscript

Ankle dorsiflexion range of motion influences Lateral Step Down Test scores in individuals with chronic ankle instability

Terry L. Grindstaff, Nadyne Dolan, Sam K. Morton



PII: S1466-853X(16)30064-5

DOI: [10.1016/j.ptsp.2016.07.008](https://doi.org/10.1016/j.ptsp.2016.07.008)

Reference: YPTSP 749

To appear in: *Physical Therapy in Sport*

Received Date: 20 August 2015

Revised Date: 17 July 2016

Accepted Date: 27 July 2016

Please cite this article as: Grindstaff, T.L., Dolan, N., Morton, S.K., Ankle dorsiflexion range of motion influences Lateral Step Down Test scores in individuals with chronic ankle instability, *Physical Therapy in Sports* (2016), doi: 10.1016/j.ptsp.2016.07.008.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Ankle Dorsiflexion Range of Motion Influences Lateral Step Down Test Scores in
Individuals with Chronic Ankle Instability**

Terry L. Grindstaff, PhD, PT, ATC

Creighton University

Physical Therapy Department

Omaha, NE 68178, USA

Nadyne Dolan, PT, DPT

Proaxis Therapy

Greenville, SC 29605, USA

Sam K. Morton, MS, CSCS

Creighton University

Physical Therapy Department

Omaha, NE 68178, USA

Funding: This research was supported by grants from the Nebraska Foundation for
Physical Therapy and the Nebraska Tobacco Settlement Biomedical Research
Development Program (LB692): New Initiatives Grant - Creighton University.

Download English Version:

<https://daneshyari.com/en/article/5873616>

Download Persian Version:

<https://daneshyari.com/article/5873616>

[Daneshyari.com](https://daneshyari.com)