


# Accepted Manuscript



Higher Neutrophil / Lymphocyte Ratio is related to Lower Ejection Fraction and Higher Long Term All-Cause Mortality in STEMI Patients undergoing Primary PCI

Yaron Arbel , MD Yacov Shacham , MD Tomer Ziv-Baran , PhD Michal Laufer Perl , MD Ariel Finkelstein , MD Amir Halkin , MD Miri Revivo , MHA Assi Milwidsky , MD Shlomo Berliner , MD Itzhak Herz , MD Gad Keren , MD Shmuel Banai , MD

PII: S0828-282X(14)00353-5

DOI: [10.1016/j.cjca.2014.05.010](https://doi.org/10.1016/j.cjca.2014.05.010)

Reference: CJCA 1221

To appear in: *Canadian Journal of Cardiology*

Received Date: 20 March 2014

Revised Date: 12 May 2014

Accepted Date: 12 May 2014

Please cite this article as: Arbel Y, Shacham Y, Ziv-Baran T, Laufer Perl M, Finkelstein A, Halkin A, Revivo M, Milwidsky A, Berliner S, Herz I, Keren G, Banai S, Higher Neutrophil / Lymphocyte Ratio is related to Lower Ejection Fraction and Higher Long Term All-Cause Mortality in STEMI Patients undergoing Primary PCI, *Canadian Journal of Cardiology* (2014), doi: 10.1016/j.cjca.2014.05.010.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Higher Neutrophil / Lymphocyte Ratio is related to Lower Ejection Fraction and Higher Long Term All-Cause Mortality in STEMI Patients undergoing Primary PCI**

Yaron Arbel, MD<sup>a</sup>, Yacov Shacham MD<sup>a</sup>, Tomer Ziv-Baran, PhD<sup>b</sup>, Michal Laufer Perl MD<sup>a</sup>, Ariel Finkelstein, MD<sup>a</sup>, Amir Halkin, MD<sup>a</sup>, Miri Revivo, MHA<sup>a</sup>, Assi Milwidsky, MD<sup>c</sup>, Shlomo Berliner, MD<sup>c</sup>, Itzhak Herz, MD<sup>a</sup>, Gad Keren, MD<sup>a</sup>, Shmuel Banai, MD<sup>a</sup>

Departments of <sup>a</sup> Cardiology and <sup>c</sup> Internal Medicine “D” and “E”, Tel Aviv Medical Center, Tel Aviv, affiliated to the Sackler School of Medicine, Tel Aviv University, Tel Aviv, Israel

<sup>b</sup> Department of Epidemiology and Preventive Medicine, School of Public Health, Sackler Faculty of Medicine, Tel Aviv University

Running Title: “Neutrophil/Lymphocyte ratio and MACE”

Corresponding author: Yaron Arbel, MD

Medical Director, Cardiovascular Research Center,

Department of Cardiology

Tel Aviv Medical Center, 6 Weizman Street

Tel Aviv, Israel

Tel: +972-3-6973395

Fax: +972-3-6962334

e-mail: yarona@tlvmc.gov.il

Download English Version:

<https://daneshyari.com/en/article/5880070>

Download Persian Version:

<https://daneshyari.com/article/5880070>

[Daneshyari.com](https://daneshyari.com)