Accepted Manuscript

Independent Validation of the Modified Prognosis Palliative Care Study (PiPS) Predictor Models in Three Palliative Care Settings

Mika Baba , MD, Isseki Maeda , MD, PhD, Tatsuya Morita , MD, Takayuki Hisanaga , MD, Tatsuhiko Ishihara , MD, Tomoyuki Iwashita , MD, Keisuke Kaneishi , MD, PhD, Shohei Kawagoe , MD, Toshiyuki Kuriyama , MD, PhD, Takashi Maeda , MD, Ichiro Mori , MD, Nobuhisa Nakajima , MD, PhD, Tomohiro Nishi , MD, Hiroki Sakurai , MD, Satofumi Shimoyama , MD, PhD, Takuya Shinjo , MD, Hiroto Shirayama , MD, Takeshi Yamada , MD, PhdD, Shigeki Ono , MD, Taketoshi Ozawa , MD, PhD, Ryo Yamamoto , MD, Satoru Tsuneto , MD, PhD



PII: S0885-3924(14)00892-6

DOI: 10.1016/j.jpainsymman.2014.10.010

Reference: JPS 8784

To appear in: Journal of Pain and Symptom Management

Received Date: 21 August 2014
Revised Date: 2 October 2014
Accepted Date: 22 October 2014

Please cite this article as: Baba M, Maeda I, Morita T, Hisanaga T, Ishihara T, Iwashita T, Kaneishi K, Kawagoe S, Kuriyama T, Maeda T, Mori I, Nakajima N, Nishi T, Sakurai H, Shimoyama S, Shinjo T, Shirayama H, Yamada T, Ono S, Ozawa T, Yamamoto R, Tsuneto S, Independent Validation of the Modified Prognosis Palliative Care Study (PiPS) Predictor Models in Three Palliative Care Settings, *Journal of Pain and Symptom Management* (2015), doi: 10.1016/j.jpainsymman.2014.10.010.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Original Article 14-00456R1

Independent Validation of the Modified Prognosis Palliative Care Study (PiPS) Predictor Models in Three Palliative Care Settings

Mika Baba, MD, Isseki Maeda, MD, PhD, Tatsuya Morita, MD, Takayuki Hisanaga, MD, Tatsuhiko Ishihara, MD, Tomoyuki Iwashita, MD, Keisuke Kaneishi, MD, PhD, Shohei Kawagoe, MD, Toshiyuki Kuriyama, MD, PhD, Takashi Maeda, MD, Ichiro Mori, MD, Nobuhisa Nakajima, MD, PhD, Tomohiro Nishi, MD, Hiroki Sakurai, MD, Satofumi Shimoyama, MD, PhD, Takuya Shinjo, MD, Hiroto Shirayama, MD, Takeshi Yamada, MD, PhdD, Shigeki Ono, MD, Taketoshi Ozawa, MD, PhD, Ryo Yamamoto, MD, and Satoru Tsuneto, MD, PhD

Department of Palliative Care (M.B.), Saito Yukoukai Hospital, Ibaragi, Osaka; Department of Palliative Medicine (I.Ma.), Graduate School of Medicine, Osaka University, Suita, Osaka; Palliative and Supportive Care Division (T.Mo.), Seirei Mikatahara General Hospital, Hamamatsu City, Shizuoka; Tsukuba Medical Center Foundation (T.H.), Tsukuba, Ibaraki; Palliative Care Department (T.Is.), Okayama Saiseikai General Hospital, Okayama City, Okayama; Matsue City Hospital (T. Iw.), Matsue City, Shimane; Department of Palliative Care Unit (K.K.), JCHO Tokyo Shinjuku Medical Center, Shinjuku, Tokyo; Aozora Clinic (S.K.), Mtsudo-city, Chiba; Department of Palliative Medicine (T.K.), Wakayama Medical University Hospital Oncology Center, Wakayama; Department of Palliative Care (T.Ma.), Tokyo Metropolitan Cancer and Infectious Disease Center, Komagome Hospital, Bunkyo-ku, Tokyo; Gratia Hospital Hospice (I.Mo.), Mino, Osaka; Department of Palliative Medicine (N.N.), Graduate School of Medicine, Tohoku University, Sendai, Miyagi; Kawasaki Comprehensive

Download English Version:

https://daneshyari.com/en/article/5880759

Download Persian Version:

https://daneshyari.com/article/5880759

<u>Daneshyari.com</u>