

Accepted Manuscript



Original article

The use of phenylephrine to obtund oxytocin-induced hypotension and tachycardia during caesarean section

C.K. Rumboll, R.A. Dyer, C.J. Lombard

PII: S0959-289X(15)00114-4

DOI: <http://dx.doi.org/10.1016/j.ijoa.2015.08.003>

Reference: YIJOA 2402

To appear in: *International Journal of Obstetric Anesthesia*

Accepted Date: 8 August 2015

Please cite this article as: Rumboll, C.K., Dyer, R.A., Lombard, C.J., The use of phenylephrine to obtund oxytocin-induced hypotension and tachycardia during caesarean section, *International Journal of Obstetric Anesthesia* (2015), doi: <http://dx.doi.org/10.1016/j.ijoa.2015.08.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

IJOA 15-00093

ORIGINAL ARTICLE

The use of phenylephrine to obtund oxytocin-induced hypotension and tachycardia during caesarean section

C.K. Rumboll,^a R.A. Dyer,^a C.J. Lombard^b

^aDepartment of Anaesthesia, University of Cape Town, Cape Town, South Africa

^bBiostatistics Unit, South African Medical Research Council, Cape Town, South Africa

Short title: Phenylephrine and oxytocin

Correspondence to: C.K. Rumboll, Department of Anaesthesia, University of Cape Town,
Anzio Road, Observatory 7925, Cape Town, South Africa

E-mail address: crumboll@gmail.com

Download English Version:

<https://daneshyari.com/en/article/5883254>

Download Persian Version:

<https://daneshyari.com/article/5883254>

[Daneshyari.com](https://daneshyari.com)