


Thinking outside the box – the associations with cutaneous involvement and autoantibody status in systemic sclerosis are not always what we expect

Neha Srivastava MD, Marie Hudson MD MPH, Solène Tatibouet MSc, Mianbo Wang MSc, Murray Baron MD, Marvin J. Fritzler PhD MD, Canadian Scleroderma Research Group (CSRG)



www.elsevier.com/locate/semarthrit

PII: S0049-0172(15)00071-2
DOI: <http://dx.doi.org/10.1016/j.semarthrit.2015.04.009>
Reference: YSARH50920

To appear in: *Seminars in Arthritis and Rheumatism*

Cite this article as: Neha Srivastava MD, Marie Hudson MD MPH, Solène Tatibouet MSc, Mianbo Wang MSc, Murray Baron MD, Marvin J. Fritzler PhD MD, Canadian Scleroderma Research Group (CSRG), Thinking outside the box – the associations with cutaneous involvement and autoantibody status in systemic sclerosis are not always what we expect, *Seminars in Arthritis and Rheumatism*, <http://dx.doi.org/10.1016/j.semarthrit.2015.04.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Thinking outside the box – the associations with cutaneous involvement and autoantibody status in systemic sclerosis are not always what we expect

Neha Srivastava¹, Marie Hudson^{1,2,3}, Solène Tatibouet³, Mianbo Wang³, Canadian Scleroderma Research Group (CSRG)*, Murray Baron^{1,2}, Marvin J. Fritzler⁴

***Investigators of the Canadian Scleroderma Research Group:** J. Pope, London, Ontario; M. Baron, Montréal, Québec; J. Markland, Saskatoon, Saskatchewan; D. Robinson, Winnipeg, Manitoba; N. Jones, Edmonton, Alberta; N. Khalidi, Hamilton, Ontario; P. Docherty, Moncton, New Brunswick; E. Kaminska, Calgary, Alberta; A. Masetto, Sherbrooke, Québec; E. Sutton, Halifax, Nova Scotia; J-P. Mathieu, Montréal, Québec; M. Hudson, Montréal, Québec; S. Ligier, Montréal, Québec; T. Grodzicky, Montréal, Quebec; S. LeClercq, Calgary, Alberta; C. Thorne, Newmarket, Ontario; G. Gyger, Montréal, Québec; D. Smith, Ottawa, Ontario; P.R. Fortin, Québec, Québec; M. Larché, Hamilton, Ontario; M. Fritzler, Mitogen Advanced Diagnostics Laboratory, Calgary, Alberta.

Author institutional affiliations: ¹Faculty of Medicine, McGill University, ²Division of Rheumatology, ³Lady Davis Institute, Jewish General Hospital, Montréal, Québec, Canada; ⁴Faculty of Medicine, University of Calgary, Calgary, Alberta, Canada

Academic degrees of authors: Neha Srivastava MD, Marie Hudson MD MPH, Solène Tatibouet MSc, Mianbo Wang MSc, Murray Baron MD, Marvin J. Fritzler PhD MD

Funding: This study was funded in part by the Canadian Institutes of Health Research, the Scleroderma Society of Canada and educational grants from Actelion Pharmaceuticals and Pfizer Inc. Autoantibody diagnostic kits were a gift of INOVA Diagnostics Inc. (San Diego, CA), ImmunoConcepts (Sacramento, CA) and Dr. Fooke Laboratorien GmbH (Neuss, Germany). Dr. Hudson is funded by the Fonds de la recherche en Santé du Québec and Dr. Fritzler holds the

Download English Version:

<https://daneshyari.com/en/article/5887515>

Download Persian Version:

<https://daneshyari.com/article/5887515>

[Daneshyari.com](https://daneshyari.com)