

## Accepted Manuscript


High osteoprotegerin is associated with development of foot ulcer in type 1 diabetes

E.H. Zobel, B.J. von Scholten, M. Lajer, A. Jorsal, L. Tarnow, L.M. Rasmussen, Per Holstein, H.-H. Parving, T.W. Hansen, P. Rossing

PII: S1056-8727(16)30287-2  
DOI: doi: [10.1016/j.jdiacomp.2016.07.008](https://doi.org/10.1016/j.jdiacomp.2016.07.008)  
Reference: JDC 6796

To appear in: *Journal of Diabetes and Its Complications*

Received date: 26 April 2016  
Revised date: 24 June 2016  
Accepted date: 14 July 2016



Please cite this article as: Zobel, E.H., von Scholten, B.J., Lajer, M., Jorsal, A., Tarnow, L., Rasmussen, L.M., Holstein, P., Parving, H.-H., Hansen, T.W. & Rossing, P., High osteoprotegerin is associated with development of foot ulcer in type 1 diabetes, *Journal of Diabetes and Its Complications* (2016), doi: [10.1016/j.jdiacomp.2016.07.008](https://doi.org/10.1016/j.jdiacomp.2016.07.008)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# High osteoprotegerin is associated with development of foot ulcer in type 1 diabetes

**Running title: Osteoprotegerin is associated with development of diabetic foot ulcer**

E H Zobel<sup>1</sup>, B J von Scholten<sup>1</sup>, M Lajer<sup>1</sup>, A Jorsal<sup>2,3</sup>, L Tarnow<sup>4,5</sup>, L M Rasmussen<sup>6,7</sup>, Per Holstein<sup>1,8</sup>, H-H Parving<sup>9</sup>, T W Hansen<sup>1</sup> and P Rossing<sup>1,5,10</sup>.

<sup>1</sup>Steno Diabetes Center, Gentofte, DK; <sup>2</sup>Department of Cardiology, Aarhus University Hospital, Aarhus, DK, <sup>3</sup>Department of Clinical Medicine, Faculty of Health, Aarhus University, Aarhus, DK, <sup>4</sup>Department of Clinical Research, Nordsjællands Hospital, University of Copenhagen, Hillerød, DK; <sup>5</sup>Health, Aarhus University, DK; <sup>6</sup>Department of Clinical Biochemistry and Pharmacology, Odense University Hospital, Odense, DK; <sup>7</sup>Center for Individualized Medicine in Arterial Diseases (CIMA), Odense University Hospital, Odense, DK, <sup>8</sup>Dep. of Dermato-venerology and Copenhagen Wound Healing Center, Bispebjerg Hospital, Univ. Hosp. of Copenhagen, DK,; <sup>9</sup> Dep. of Medical Endocrinology, Rigshospitalet, University of Copenhagen, DK; <sup>10</sup> Novo Nordisk Foundation Center for Metabolic Research, Copenhagen, DK

Corresponding author:

Emilie Hein Zobel

Steno Diabetes Center A/S

Niels Steensens Vej 2

Download English Version:

<https://daneshyari.com/en/article/5901911>

Download Persian Version:

<https://daneshyari.com/article/5901911>

[Daneshyari.com](https://daneshyari.com)