

Accepted Manuscript


Time-to-Effect Relationships between Systolic Blood Pressure and the Risks of Nephropathy and Retinopathy in Patients with Type 2 Diabetes

Toshiko Takao, Yutaka Matsuyama, Machi Suka, Hiroyuki Yanagisawa, Masatoshi Kikuchi, Shoji Kawazu

PII: S1056-8727(14)00136-6
DOI: doi: [10.1016/j.jdiacomp.2014.05.008](https://doi.org/10.1016/j.jdiacomp.2014.05.008)
Reference: JDC 6272

To appear in: *Journal of Diabetes and Its Complications*

Received date: 13 April 2014
Revised date: 25 May 2014
Accepted date: 25 May 2014



Please cite this article as: Takao, T., Matsuyama, Y., Suka, M., Yanagisawa, H., Kikuchi, M. & Kawazu, S., Time-to-Effect Relationships between Systolic Blood Pressure and the Risks of Nephropathy and Retinopathy in Patients with Type 2 Diabetes, *Journal of Diabetes and Its Complications* (2014), doi: [10.1016/j.jdiacomp.2014.05.008](https://doi.org/10.1016/j.jdiacomp.2014.05.008)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Time-to-Effect Relationships between Systolic Blood Pressure and the Risks of Nephropathy and Retinopathy in Patients with Type 2 Diabetes

Toshiko Takao ^{a,*}, Yutaka Matsuyama ^b, Machi Suka ^c, Hiroyuki Yanagisawa ^c, Masatoshi Kikuchi ^a, Shoji Kawazu ^a

^a *Division of Diabetes and Metabolism, The Institute for Adult Diseases, Asahi Life Foundation, Tokyo, Japan*

^b *Department of Biostatistics, School of Public Health, University of Tokyo, Tokyo, Japan*

^c *Department of Public Health and Environmental Medicine, The Jikei University School of Medicine, Tokyo, Japan*

☆ Conflicts of interest: None.

* Corresponding author. Division of Diabetes and Metabolism, The Institute for Adult Diseases, Asahi Life Foundation, 2-2-6 Nihonbashi Bakurocho, Chuo-ku, Tokyo 103-0002, Japan. Tel.: +81-3-36395501; Fax: +81-3-36395520.

E-mail address: t-takao@asahi-life.or.jp (T. Takao).

Download English Version:

<https://daneshyari.com/en/article/5902715>

Download Persian Version:

<https://daneshyari.com/article/5902715>

[Daneshyari.com](https://daneshyari.com)