Multilocus analysis indicates that *Trypanosoma cruzi* I genetic substructure associated with sylvatic and domestic cycles is not an attribute conserved throughout Colombia

Andrés Gómez-Palacio, Juan Lopera, Winston Rojas, Gabriel Bedoya, Omar Cantillo-Barraza, Johana Marín-Suarez, Omar Triana-Chávez, Ana Mejía-Jaramillo

PII: S1567-1348(15)30056-3
DOI: doi: 10.1016/j.meegid.2015.11.026
Reference: MEEGID 2559

To appear in:

Received date: 7 July 2015
Revised date: 24 November 2015
Accepted date: 25 November 2015

Please cite this article as: Gómez-Palacio, Andrés, Lopera, Juan, Rojas, Winston, Bedoya, Gabriel, Cantillo-Barraza, Omar, Marín-Suarez, Johana, Triana-Chávez, Omar, Mejía-Jaramillo, Ana, Multilocus analysis indicates that *Trypanosoma cruzi* I genetic substructure associated with sylvatic and domestic cycles is not an attribute conserved throughout Colombia, (2015), doi: 10.1016/j.meegid.2015.11.026

Multilocus analysis indicates that *Trypanosoma cruzi* I genetic substructure associated with sylvatic and domestic cycles is not an attribute conserved throughout Colombia

Andrés Gómez-Palacio[1], Juan Lopera[2], Winston Rojas[2], Gabriel Bedoya[2], Omar Cantillo-Barraza[1], Johana Marín-Suarez, Omar Triana-Chávez[1], Ana Mejía-Jaramillo[1*]

[1]Grupo de Biología y Control de Enfermedades Infecciosas, BCEI, Universidad de Antioquia, Medellín, Colombia.

[2]Grupo de Genética Molecular, GENMOL, Universidad de Antioquia, Medellín, Colombia.

*Corresponding author

Telephone: +57-4-2196520, email: anamejia25@gmail.com

Complete address: Grupo de Biología y Control de Enfermedades Infecciosas, Laboratorio 620, Sede de Investigación Universitaria (SIU), Instituto de Biología, Universidad de Antioquia, Calle 70 No. 52-21, Medellin, Antioquia, Colombia.