

## Real-world Use and Appropriateness of Coronary Interventions for Chronic Total Occlusion (From a Japanese Multicenter Registry)

Taku Inohara, MD, Shun Kohsaka, MD, Hiroaki Miyata, PhD, Ikuko Ueda, PhD, Kentaro Hayashida, MD, Yuichiro Maekawa, MD, Akio Kawamura, MD, Yohei Numasawa, MD, Masahiro Suzuki, MD, Shigetaka Noma, MD, Yutaro Nishi, MD, Keiichi Fukuda, MD

PII: S0002-9149(15)01522-2

DOI: [10.1016/j.amjcard.2015.06.008](https://doi.org/10.1016/j.amjcard.2015.06.008)

Reference: AJC 21234

To appear in: *The American Journal of Cardiology*

Received Date: 11 April 2015

Revised Date: 7 June 2015

Accepted Date: 10 June 2015

Please cite this article as: Inohara T, Kohsaka S, Miyata H, Ueda I, Hayashida K, Maekawa Y, Kawamura A, Numasawa Y, Suzuki M, Noma S, Nishi Y, Fukuda K, Real-world Use and Appropriateness of Coronary Interventions for Chronic Total Occlusion (From a Japanese Multicenter Registry), *The American Journal of Cardiology* (2015), doi: 10.1016/j.amjcard.2015.06.008.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Real-world Use and Appropriateness of Coronary Interventions for Chronic Total Occlusion (From a Japanese Multicenter Registry)

Taku Inohara, MD\*; Shun Kohsaka, MD\*; Hiroaki Miyata, PhD†; Ikuko Ueda, PhD\*; Kentaro Hayashida, MD\*; Yuichiro Maekawa, MD\*; Akio Kawamura, MD\*; Yohei Numasawa, MD§; Masahiro Suzuki, MD||; Shigetaka Noma, MD†; Yutaro Nishi, MD¶; Keiichi Fukuda, MD\*

\*Department of Cardiology, Keio University School of Medicine, Tokyo, Japan

‡Department Healthcare Quality Assessment, The University of Tokyo, Tokyo, Japan

§Department of Cardiology, Ashikaga Red Cross Hospital, Ashikaga, Japan

||Department of Cardiology, National Hospital Organization Saitama National Hospital, Saitama, Japan

†Department of Cardiology, Saiseikai Utsunomiya Hospital, Utsunomi, Japan

¶Department of Cardiology, Cardiovascular Center, St. Luke's International Hospital, Tokyo, Japan

**Running title:** CTO-PCI in Japan

## Funding Sources:

The present study was funded by Grants-in-Aid for Scientific Research from the Japan Society for the Promotion of Science (Grant Nos. 25460630, 80571398) and Pfizer Health Research Foundation.

**Conflict of Interest:** None declared.

## Address for correspondence:

Shun Kohsaka, MD, PhD

Department of Cardiology, Keio University School of Medicine

35 Shinanomachi, Shinjuku-ku, Tokyo 160-8582, Japan

Tel: 81-3-5843-6702, Fax: 81-3-5363-3875

Email: [kohsaka@cpnet.med.keio.jp](mailto:kohsaka@cpnet.med.keio.jp)

Download English Version:

<https://daneshyari.com/en/article/5929767>

Download Persian Version:

<https://daneshyari.com/article/5929767>

[Daneshyari.com](https://daneshyari.com)