


Author's Accepted Manuscript

Splenectomy Exacerbates Atrial Inflammatory Fibrosis and Vulnerability to Atrial Fibrillation Induced by Pressure-Overload In Rats: Possible Role of Spleen-Derived Interleukin-10

Hidekazu Kondo MD, Naohiko Takahashi MD, PhD, Koro Gotoh MD, PhD, Akira Fukui MD, Shotaro Saito MD, Kohei Aoki MD, Osamu Kume MD, PhD, Tetsuji Shinohara MD, PhD, Yasushi Teshima MD, PhD, Tetsunori Saikawa MD, PhD



www.elsevier.com/locate/buildenv

PII: S1547-5271(15)00883-8
DOI: <http://dx.doi.org/10.1016/j.hrthm.2015.07.001>
Reference: HRTHM6344

To appear in: *Heart Rhythm*

Cite this article as: Hidekazu Kondo MD, Naohiko Takahashi MD, PhD, Koro Gotoh MD, PhD, Akira Fukui MD, Shotaro Saito MD, Kohei Aoki MD, Osamu Kume MD, PhD, Tetsuji Shinohara MD, PhD, Yasushi Teshima MD, PhD, Tetsunori Saikawa MD, PhD, Splenectomy Exacerbates Atrial Inflammatory Fibrosis and Vulnerability to Atrial Fibrillation Induced by Pressure-Overload In Rats: Possible Role of Spleen-Derived Interleukin-10, *Heart Rhythm*, <http://dx.doi.org/10.1016/j.hrthm.2015.07.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Splenectomy exacerbates atrial inflammatory fibrosis and vulnerability to atrial fibrillation induced by pressure-overload in rats: possible role of spleen-derived interleukin-10

¹Hidekazu Kondo, MD, ¹Naohiko Takahashi, MD, PhD, ²Koro Gotoh, MD, PhD, ¹Akira Fukui, MD, ¹Shotaro Saito MD, ²Kohei Aoki, MD, ¹Osamu Kume, MD, PhD, ¹Tetsuji Shinohara, MD, PhD, ¹Yasushi Teshima, MD, PhD, ¹Tetsunori Saikawa, MD, PhD

¹Department of Cardiology and Clinical Examination

Oita University Faculty of Medicine, Oita, Japan

² Department of Endocrinology, Metabolism, Rheumatology and Nephrology,

Oita University Faculty of Medicine, Oita, Japan

Short title: Splenectomy exacerbates atrial fibrillation

Total word counts: 4999 words

Conflict of interest disclosures: None

Address for correspondence:

Naohiko Takahashi, MD, PhD,

Department of Cardiology and Clinical Examination, Oita University Faculty of Medicine,

1-1 Idaigaoka, Hasama, Yufu 879-5593, Japan

Phone: +81-97-549-4411

Fax: +81-97-586-6059

Email: takanao@oita-u.ac.jp

Download English Version:

<https://daneshyari.com/en/article/5959288>

Download Persian Version:

<https://daneshyari.com/article/5959288>

[Daneshyari.com](https://daneshyari.com)