

Author's Accepted Manuscript

Management of Focal Atrial Tachycardias Originating from the Atrial Appendage with Combination of Radiofrequency Catheter Ablation and Minimally Invasive Atrial Appendectomy

Xiao-gang Guo MD, Jin-lin Zhang MD, Jian Ma MD, Yu-he Jia MD, Zhe Zheng MD, Hong-yue Wang MD, Xi Su MD, Shu Zhang MD



www.elsevier.com/locate/buildenv

PII: S1547-5271(13)01154-5
DOI: <http://dx.doi.org/10.1016/j.hrthm.2013.10.017>
Reference: HRTM5499

To appear in: *Heart Rhythm*

Cite this article as: Xiao-gang Guo MD, Jin-lin Zhang MD, Jian Ma MD, Yu-he Jia MD, Zhe Zheng MD, Hong-yue Wang MD, Xi Su MD, Shu Zhang MD, Management of Focal Atrial Tachycardias Originating from the Atrial Appendage with Combination of Radiofrequency Catheter Ablation and Minimally Invasive Atrial Appendectomy, *Heart Rhythm*, <http://dx.doi.org/10.1016/j.hrthm.2013.10.017>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Management of Focal Atrial Tachycardias Originating from the Atrial Appendage with Combination of Radiofrequency Catheter Ablation and Minimally Invasive Atrial Appendectomy

Short title: Combinational Management of Atrial Appendage Tachycardias

Authorship: Xiao-gang Guo, MD^{*}; Jin-lin Zhang, MD[†]; Jian Ma, MD^{*}; Yu-he Jia, MD^{*}; Zhe Zheng, MD[‡]; Hong-yue Wang, MD[§]; Xi Su, MD[†]; Shu Zhang, MD^{*}

From the ^{*}State Key Laboratory of Cardiovascular Disease, Arrhythmia Center, Fuwai Hospital, National Center for Cardiovascular Diseases, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, China; the [‡]Department of Cardiac Surgery, Fuwai Hospital, National Center for Cardiovascular Diseases, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, China; the [§]Department of Pathology, Fuwai Hospital, National Center for Cardiovascular Diseases, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, China; and the [†]Department of Cardiology, Wuhan Asian Heart Hospital, Wuhan, China.

Drs. Xiao-gang Guo and Jin-lin Zhang contributed equally to this article.

Conflict of interests for all authors: none.

No financial support was received for this study.

Address reprint request and correspondence: Jian Ma, State Key Laboratory of Cardiovascular Disease, Arrhythmia Center, Fuwai Hospital, National Center for Cardiovascular Diseases, Chinese Academy of Medical Sciences and Peking Union Medical College, 100037 Beijing, China. E-mail: majian_fuwai@126.com. Phone: +8618811213672. Fax: +8601088398435.

Download English Version:

<https://daneshyari.com/en/article/5960267>

Download Persian Version:

<https://daneshyari.com/article/5960267>

[Daneshyari.com](https://daneshyari.com)