

Cortical somatosensory evoked high-frequency (600 Hz) oscillations predict absence of severe hypoxic encephalopathy after resuscitation

Christian Endisch, Gunnar Waterstraat, Christian Storm, Christoph J. Ploner, Gabriel Curio, Christoph Leithner

PII: S1388-2457(16)30033-5
DOI: http://dx.doi.org/10.1016/j.clinph.2016.04.014
Reference: CLINPH 2007813

To appear in: *Clinical Neurophysiology*

Accepted Date: 14 April 2016

Please cite this article as: Endisch, C., Waterstraat, G., Storm, C., Ploner, C.J., Curio, G., Leithner, C., Cortical somatosensory evoked high-frequency (600 Hz) oscillations predict absence of severe hypoxic encephalopathy after resuscitation, *Clinical Neurophysiology* (2016), doi: http://dx.doi.org/10.1016/j.clinph.2016.04.014

Cortical somatosensory evoked high-frequency (600 Hz) oscillations predict absence of severe hypoxic encephalopathy after resuscitation

Christian Endisch[1], Gunnar Waterstraat[2], Christian Storm[3], Christoph J. Ploner[1], Gabriel Curio[2], Christoph Leithner[1]

[1]Department of Neurology, AG Emergency and Critical Care Neurology, Campus Virchow Klinikum, Charité Universitätsmedizin Berlin, Augustenburger Platz 1, 13353 Berlin, Germany

[2]Department of Neurology, Neurophysics Group, Campus Benjamin Franklin, Charité Universitätsmedizin Berlin, Hindenburgdamm 30, 12203 Berlin, Germany

[3]Department of Nephrology and Intensive Care Medicine, Cardiac Arrest Center of Excellence Berlin, Campus Virchow Klinikum, Charité Universitätsmedizin Berlin, Augustenburger Platz 1, 13353 Berlin, Germany

Corresponding author:

Christian Endisch

Department of Neurology, Campus Virchow Klinikum, Charité Universitätsmedizin Berlin, Augustenburger Platz 1, 13353 Berlin, Germany

Tel.: +49-30-450660384

Fax +49-40-560902

E-mail: christian.endisch@charite.de

Keywords: somatosensory evoked potentials; high-frequency oscillations; cardiac arrest; prognostication; posthypoxic coma.