

Chemogenetic silencing of the midline and intralaminar thalamus blocks amygdala-kindled seizures

Evan Wicker, Patrick A. Forcelli

PII: S0014-4886(16)30202-3
DOI: doi: 10.1016/j.expneurol.2016.07.003
Reference: YEXNR 12354

To appear in: *Experimental Neurology*

Received date: 27 November 2015
Revised date: 3 July 2016
Accepted date: 8 July 2016

Please cite this article as: Wicker, Evan, Forcelli, Patrick A., Chemogenetic silencing of the midline and intralaminar thalamus blocks amygdala-kindled seizures, *Experimental Neurology* (2016), doi: 10.1016/j.expneurol.2016.07.003

Title: Chemogenetic silencing of the midline and intralaminar thalamus blocks amygdala-kindled seizures

Author Names: Evan Wicker and Patrick A. Forcelli

Institutional Affiliations: Department of Pharmacology & Physiology, Georgetown University School of Medicine

Corresponding Author:

Patrick A. Forcelli, Ph.D.

Department of Pharmacology & Physiology

Georgetown University School of Medicine

New Research Bldg, W209B

paf22@georgetown.edu

Tel: 202.687.5194

Running Title: DREADDs in thalamus suppress seizures.

Keywords: DREADD, CNO, chemogenetic, kindling, amygdala, seizure, rat