


Accepted Manuscript



The novel KMO inhibitor CHDI-340246 leads to a restoration of electrophysiological alterations in mouse models of Huntington's disease

Vahri Beaumont, Ladislav Mrzljak, Ulrike Dijkman, Robert Freije, Mariette Heins, Arash Rassoulpour, Geoffrey Tombaugh, Simon Gelman, Amyaouch Bradaia, Esther Steidl, Melanie Gleyzes, Taneli Heikkinen, Kimmo Lehtimäki, Jukka Puoliväli, Outi Kontkanen, Robyn M. Javier, Ioana Neagoe, Heike Deisemann, Dirk Winkler, Andreas Ebner, Vinod Khetarpal, Leticia Toledo-Sherman, Celia Dominguez, Larry C. Park, Ignacio Munoz-Sanjuan

PII: S0014-4886(16)30118-2
DOI: doi: [10.1016/j.expneurol.2016.05.005](https://doi.org/10.1016/j.expneurol.2016.05.005)
Reference: YEXNR 12282

To appear in: *Experimental Neurology*

Received date: 3 December 2015
Revised date: 28 April 2016
Accepted date: 5 May 2016

Please cite this article as: Beaumont, Vahri, Mrzljak, Ladislav, Dijkman, Ulrike, Freije, Robert, Heins, Mariette, Rassoulpour, Arash, Tombaugh, Geoffrey, Gelman, Simon, Bradaia, Amyaouch, Steidl, Esther, Gleyzes, Melanie, Heikkinen, Taneli, Lehtimäki, Kimmo, Puoliväli, Jukka, Kontkanen, Outi, Javier, Robyn M., Neagoe, Ioana, Deisemann, Heike, Winkler, Dirk, Ebner, Andreas, Khetarpal, Vinod, Toledo-Sherman, Leticia, Dominguez, Celia, Park, Larry C., Munoz-Sanjuan, Ignacio, The novel KMO inhibitor CHDI-340246 leads to a restoration of electrophysiological alterations in mouse models of Huntington's disease, *Experimental Neurology* (2016), doi: [10.1016/j.expneurol.2016.05.005](https://doi.org/10.1016/j.expneurol.2016.05.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The novel KMO inhibitor CHDI-340246 leads to a restoration of electrophysiological alterations in mouse models of Huntington's disease

Vahri Beaumont¹, Ladislav Mrzljak¹, Ulrike Dijkman², Robert Freije², Mariette Heins², Arash Rassoulpour², Geoffrey Tombaugh³, Simon Gelman³, Amyaouch Bradaia⁴, Esther Steidl⁴, Melanie Gleyzes⁴, Taneli Heikkinen⁵, Kimmo Lehtimäki⁵, Jukka Puoliväli⁵, Outi Kontkanen⁵, Robyn M. Javier¹, Ioana Neagoe⁶, Heike Deisemann⁶, Dirk Winkler⁶, Andreas Ebner⁶, Vinod Khetarpal¹, Leticia Toledo-Sherman¹, Celia Dominguez¹, Larry C. Park¹ and Ignacio Munoz-Sanjuan¹#.

Author for correspondence: Ignacio.munoz@chdifoundation.org

¹ CHDI Foundation/CHDI Management Inc., Los Angeles (USA)

² Brains Online, San Francisco (USA)

³ Psychogenics, Montvale (USA)

⁴ Neuroservice SARL (Aix-en-Provence, France)

⁵ Charles River Discovery Services, Kuopio (Finland)

⁶ Evotec AG, Hamburg (Germany)

Download English Version:

<https://daneshyari.com/en/article/6016953>

Download Persian Version:

<https://daneshyari.com/article/6016953>

[Daneshyari.com](https://daneshyari.com)