

High frequency oscillations can pinpoint seizures progressing to status epilepticus

Pariya Salami, Maxime Lévesque, Massimo Avoli

PII: S0014-4886(16)30065-6
DOI: doi: 10.1016/j.expneurol.2016.03.021
Reference: YEXNR 12250

To appear in: *Experimental Neurology*

Received date: 11 December 2015
Revised date: 10 February 2016
Accepted date: 20 March 2016

Please cite this article as: Salami, Pariya, Lévesque, Maxime, Avoli, Massimo, High frequency oscillations can pinpoint seizures progressing to status epilepticus, *Experimental Neurology* (2016), doi: 10.1016/j.expneurol.2016.03.021

HIGH FREQUENCY OSCILLATIONS CAN PINPOINT SEIZURES PROGRESSING TO *STATUS EPILEPTICUS*

Pariya Salami, Maxime Lévesque and Massimo Avoli*

Montreal Neurological Institute and Departments of Neurology & Neurosurgery and of Physiology, McGill University, Montréal, H3A 2B4 QC, Canada

Words in the abstract: 186
Words in the introduction: 471
Words in the discussion: 887
Number of pages: 18
Number of figures: 4

*** Correspondence to:** Massimo Avoli MD, PhD
Montreal Neurological Institute
3801 University Street,
Montréal, PQ, Canada, H3A 2B4
Tel: +1 514 998 6790
Fax: +1 514 398 8106
e-mail: massimo.avoli@mcgill.ca

CONFLICTS OF INTEREST
None of the authors has any conflict of interest to disclose.