Functional connectivity MRI tracks memory networks after maze learning in rodents

Fatima A. Nasrallah, Xuan Vinh To, Der-Yow Chen, Aryeh Routtenberg, Kai-Hsiang Chuang

PII: S1053-8119(15)00722-3
DOI: doi: 10.1016/j.neuroimage.2015.08.013
Reference: YNIMG 12491

To appear in: *NeuroImage*

Received date: 10 November 2014
Accepted date: 3 August 2015

Please cite this article as: Nasrallah, Fatima A., To, Xuan Vinh, Chen, Der-Yow, Routtenberg, Aryeh, Chuang, Kai-Hsiang, Functional connectivity MRI tracks memory networks after maze learning in rodents, *NeuroImage* (2015), doi: 10.1016/j.neuroimage.2015.08.013

Functional connectivity MRI tracks memory networks after maze learning in rodents

Fatima A Nasrallah[1], Xuan Vinh To[1], Der-Yow Chen[2], Aryeh Routtenberg[3], and Kai-Hsiang Chuang[1,4,5]

[1] MRI Group, Singapore Bioimaging Consortium, A*STAR, Singapore
[2] Psychology, National Cheng-Kung University, Tainan, Taiwan
[3] Psychology, Neurobiology and Physiology, Northwestern University, Evanston, IL, USA, and Physiology, Feinberg School of Medicine Northwestern University, Chicago, IL, USA
[4] Clinical Imaging Research Centre, National University of Singapore, Singapore
[5] Department of Physiology, Yong Loo Lin School of Medicine, National University of Singapore, Singapore

Address correspondence to:

Kai-Hsiang Chuang, Ph.D.

Singapore Bioimaging Consortium,

11 Biopolis Way, #02-02,

Singapore 138667.

Tel +65 64788764; Fax +65 64789957;

Email kaichuang@gmail.com

Footnote: part of the results have been presented in the joint meeting of the 19th Annual Meeting of the International Society for Magnetic Resonance in Medicine, Montreal, Canada, 2011.