


Accepted Manuscript

Title: Treatable renal failure found in non-ambulatory Duchenne muscular dystrophy patients

Author: Takahiro Motoki, Yuko Shimizu-Motohashi, Hirofumi Komaki, Madoka Mori-Yoshimura, Yasushi Oya, Eri Takeshita, Akihiko Ishiyama, Takashi Saito, Eiji Nakagawa, Kenji Sugai, Miho Murata, Masayuki Sasaki



PII: S0960-8966(15)00664-1
DOI: <http://dx.doi.org/doi:10.1016/j.nmd.2015.07.006>
Reference: NMD 3066

To appear in: *Neuromuscular Disorders*

Received date: 13-3-2015
Revised date: 23-6-2015
Accepted date: 8-7-2015

Please cite this article as: Takahiro Motoki, Yuko Shimizu-Motohashi, Hirofumi Komaki, Madoka Mori-Yoshimura, Yasushi Oya, Eri Takeshita, Akihiko Ishiyama, Takashi Saito, Eiji Nakagawa, Kenji Sugai, Miho Murata, Masayuki Sasaki, Treatable renal failure found in non-ambulatory Duchenne muscular dystrophy patients, *Neuromuscular Disorders* (2015), <http://dx.doi.org/doi:10.1016/j.nmd.2015.07.006>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Treatable renal failure found in non-ambulatory Duchenne muscular dystrophy patients

Takahiro Motoki⁽¹⁾, Yuko Shimizu-Motohashi⁽¹⁾, Hirofumi Komaki⁽¹⁾, Madoka Mori-Yoshimura⁽²⁾, Yasushi Oya⁽²⁾, Eri Takeshita⁽¹⁾, Akihiko Ishiyama⁽¹⁾, Takashi Saito⁽¹⁾, Eiji Nakagawa⁽¹⁾, Kenji Sugai⁽¹⁾, Miho Murata⁽²⁾, Masayuki Sasaki⁽¹⁾

(1) Department of Child Neurology, National Center Hospital, National Center of Neurology and Psychiatry, Kodaira, Tokyo, Japan

(2) Department of Neurology, National Center Hospital, National Center of Neurology and Psychiatry, Kodaira, Tokyo, Japan

Corresponding author:

Hirofumi Komaki, MD, Ph.D, Department of Child Neurology, National Center Hospital, National Center of Neurology and Psychiatry, 4-1-1 Ogawahigashi-cho, Kodaira, Tokyo 187-8551, Japan.

Tel: +81-42-341-2711 Fax: +81-42-344-6745

E-mail: komakih@ncnp.go.jp

Highlights

- We describe Duchenne muscular dystrophy (DMD) patients with treatable renal failure.
- CystatinC is a useful marker of kidney function in reduced muscle mass cases.
- Non-ambulatory DMD patients are at a risk of reduced kidney perfusion.

Download English Version:

<https://daneshyari.com/en/article/6041118>

Download Persian Version:

<https://daneshyari.com/article/6041118>

[Daneshyari.com](https://daneshyari.com)