

Worsening of Myasthenia Gravis after Administration of Injectable Long-Acting Risperidone for Treatment of Schizophrenia; First Case Report and a Call for Caution

Jasem Yousef Al-Hashel^{1,2}, Ismail Ibrahim Ismail¹, John K. John¹, Mohammed Ibrahim¹, Mahmoud Aly³

Department of Neurology, Ibn Sina Hospital, Safat, Kuwait¹

Department of Medicine, Faculty of Medicine, Health Sciences Centre, Kuwait University, Kuwait²

Kuwait Centre for Mental Health, Kuwait³

Email address of the authors:

Jasem Yousef Al-Hashel: jasemkumsa@hotmail.com

Ismail Ibrahim Ismail: dr.ismail.ibrahim2012@Gmail.com

John K. John: jonkjon@hotmail.com

Mohammed Ibrahim: mohamed_neuro@yahoo.com

Mahmoud Aly: Mahmoud.a.aly@Gmail.com

Corresponding author:

Ismail Ibrahim Ismail: dr.ismail.ibrahim2012@Gmail.com

Download English Version:

<https://daneshyari.com/en/article/6041158>

Download Persian Version:

<https://daneshyari.com/article/6041158>

[Daneshyari.com](https://daneshyari.com)