


Accepted Manuscript



The efficacy of moderate to high dose oral prednisolone versus low to moderate dose intramuscular corticotropin for improvement of hypsarrhythmia in West syndrome: a randomized, single-blind, parallel clinical trial

Jithangi Wanigasinghe, MBBS, DCH, MD (Paed) Carukshi Arambepola, MBBS, MSc, MD (Community Medicine) Shalini Sri Ranganathan, MBBS, DCH, MD (Paed), PhD Samanmalee Sumanasena, MBBS, DCH, MD (Paed) Eindrini C. Muhandiram, MBBS

PII: S0887-8994(14)00165-9

DOI: [10.1016/j.pediatrneurol.2014.03.014](https://doi.org/10.1016/j.pediatrneurol.2014.03.014)

Reference: PNU 8311

To appear in: *Pediatric Neurology*

Received Date: 22 February 2014

Revised Date: 6 March 2014

Accepted Date: 15 March 2014

Please cite this article as: Wanigasinghe J, Arambepola C, Sri Ranganathan S, Sumanasena S, Muhandiram EC, The efficacy of moderate to high dose oral prednisolone versus low to moderate dose intramuscular corticotropin for improvement of hypsarrhythmia in West syndrome: a randomized, single-blind, parallel clinical trial, *Pediatric Neurology* (2014), doi: 10.1016/j.pediatrneurol.2014.03.014.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title Page

Title: The efficacy of moderate to high dose oral prednisolone versus low to moderate dose intramuscular corticotropin for improvement of hypsarrhythmia in West syndrome: a randomized, single-blind, parallel clinical trial

Running title: Randomized, single-blind, parallel clinical trial on efficacy of oral prednisolone versus intramuscular corticotropin on hypsarrhythmia in West syndrome

Category of submission: Original article

Authors:

Jithangi Wanigasinghe¹ MBBS, DCH, MD (Paed)

Carukshi Arambepola² MBBS, MSc, MD (Community Medicine)

Shalini Sri Ranganathan³ MBBS, DCH, MD (Paed), PhD

Samanmalee Sumanasena⁴ MBBS, DCH, MD (Paed)

Eindrini C. Muhandiram⁵ MBBS

Professional and institutional affiliations:

¹ Senior lecturer and honorary consultant paediatric neurologist, Department of Paediatrics, Faculty of Medicine, University of Colombo

² Senior lecturer and Specialist in Community Medicine, Department of Community Medicine, Faculty of Medicine, University of Colombo (**Author responsible for biostatistics**)*

³ Senior lecturer in pharmacology and consultant paediatrician, Department of Pharmacology, Faculty of Medicine, University of Colombo

⁴ Senior lecturer and consultant paediatrician, Department of Paediatrics, Faculty of Medicine, University of Colombo

⁵ Research assistant, Department of paediatrics, Faculty of Medicine, University of Colombo

Download English Version:

<https://daneshyari.com/en/article/6042205>

Download Persian Version:

<https://daneshyari.com/article/6042205>

[Daneshyari.com](https://daneshyari.com)