

Accepted Manuscript

Prevalence of complications in intraoperative MRI combined with neurophysiological monitoring

Johannes Sarnthein, PhD, Roger Lüchinger, PhD, Marco Piccirelli, PhD, L. Regli, MD, O. Bozinov, MD

PII: S1878-8750(16)30371-0

DOI: [10.1016/j.wneu.2016.05.097](https://doi.org/10.1016/j.wneu.2016.05.097)

Reference: WNEU 4158

To appear in: *World Neurosurgery*


Received Date: 30 March 2016

Revised Date: 30 May 2016

Accepted Date: 31 May 2016

Please cite this article as: Sarnthein J, Lüchinger R, Piccirelli M, Regli L, Bozinov O, Prevalence of complications in intraoperative MRI combined with neurophysiological monitoring, *World Neurosurgery* (2016), doi: 10.1016/j.wneu.2016.05.097.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Prevalence of complications in intraoperative MRI combined with neurophysiological monitoring.

Johannes Sarnthein PhD^{1,4,5}, Roger Lüchinger PhD^{2,4}, Marco Piccirelli PhD^{3,4}, L. Regli MD^{1,4}, O. Bozinov MD^{1,4}

1 Neurosurgery Department, University Hospital Zurich, Zurich, Switzerland

2 Institute for Biomedical Engineering, University and ETH Zurich, Zurich Switzerland

3 Neuroradiology Department, University Hospital Zurich, Zurich, Switzerland

4 University of Zurich, Zurich, Switzerland

5 Zurich Neuroscience Center, ETHZ, Zurich, Switzerland

Corresponding author:

PD Dr. Johannes Sarnthein, PhD

Klinik für Neurochirurgie, UniversitätsSpital Zürich,

8091 Zürich, Switzerland

johannes.sarnthein@usz.ch

0041 44 255 5672

Short title: ioMRI combined with IONM

DISCLOSURE

The authors report no conflict of interest concerning the materials or methods used in this study or the findings specified in this paper.

JS has given presentations for Inomed and OB has given presentations for Siemens.

ACKNOWLEDGEMENTS

We thank P. Roth for providing the artwork in Figure 2A and Figure 3.

Download English Version:

<https://daneshyari.com/en/article/6043207>

Download Persian Version:

<https://daneshyari.com/article/6043207>

[Daneshyari.com](https://daneshyari.com)